


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

COTTON QUALITY CROP OF 2003



U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

Vol. 77, No. 7 – Annual Report
Bales Classed 08/01/03 - 04/29/04

May 2004

COTTON QUALITY - UNITED STATES
2003 Crop

Color. The predominant color of Upland cotton classed from the 2003 crop was color 31, accounting for 45 percent of classings, according to the USDA, Agricultural Marketing Service, Cotton Program. Color 41 was the predominant color grade in 2002 and made up 35 percent of classings. In the white color grades, color 41 and better made up 94 percent of classings, up from 70 percent in 2002. All white color grades accounted for 95 percent of the 2003 crop, up from 77 percent in 2002. Light Spotted color grades comprised 5 percent of classings, down from 20 percent in 2002. Spotted color grades made up less than 1 percent of classings this season, as compared to about 3 percent a year earlier. Tinged, Yellow Stained and Below grades accounted for less than one-half percent of classings this season, similar to last year.

Leaf. The predominant leaf grade of Upland cotton classed from the 2003 crop was leaf grade 3, accounting for 55 percent of Upland classings. Leaf grade 3 was also the predominant leaf grade a year earlier, making up 44 percent of classings. Leaf grade 4 comprised the next highest percentage from the 2003 crop at 26 percent against 40 percent a year ago. Leaf grades 1-2 made up 17 percent of classings of the 2003 crop, compared with 10 percent in 2002. Leaf grades 5-7 made up about 2 percent of classings, as compared to 6 percent last year.

Staple. The average staple length of Upland cotton classed from the 2003 crop was 34.7 thirty-seconds of an inch, up slightly from 34.3 a year ago. The predominant staple length was 34, making up about 28 percent of classings. Staple 34 was also the predominant length last year and accounted for 27 percent of classings. Staples 31 and shorter comprised 2 percent of classings this season, down from 4 percent last year. Staples 32 and 33, at 16 percent, were down from 26 percent the previous year. Staple 35 made up 28 percent of the crop, up from 22 percent last year. Staples 36 and longer accounted for 26 percent of classings, up from 21 percent the previous year.

Mike. The average mike of Upland cotton classed from the 2003 crop was 4.6, the same as the last two years. Cotton with mike 3.4 and lower made up 3 percent of classings, up from 2 percent in 2002. Cotton miking 3.5 through 4.9 comprised 83 percent of the classings this season, up from 74 percent a year ago. Cotton with mike 5.0 and higher made up 14 percent of the classings, down from 24 percent in 2002.

Strength. The average fiber strength of Upland cotton classed from the 2003 crop was 28.8 grams per tex, compared with 28.6 in 2002. Strengths in the 22 grams per tex and lower range accounted for less than 1 percent of classings, the same as the last two years. Strengths in the 23 to 25 range accounted for 4 percent, down from 7 percent in 2002. Cotton with strengths of 26 to 29 grams per tex accounted for 65 percent of classings, the same as 2002. Strengths in the 30 and higher range comprised 31 percent of classings, up from 28 percent a year ago.

American Pima. Color grades 1 and 2 made up 96 percent of classings from the 2003 crop, up from 93 percent in 2002. Color grade 2 was the predominant color grade in 2003, accounting for 61 percent of the classings. Color grades 3 and lower comprised 5 percent of 2003 classings. Leaf grades 1 and 2 accounted respectively for 69 percent and 25 percent of the 2003 classings. The average staple length was 46.9 thirty-seconds of an inch, as compared to 46.5 last year. Staple 48 was the predominant length, comprising 49 percent of classings this season. Staple 46 was the predominant staple length in 2002. Average mike was 4.1, the same as the last two years. Average fiber strength was 40.6 grams per tex, the same as last year.

Ginnings of 2003-crop cotton in the United States totaled 17,708,900 running bales, according to the Cotton Ginnings 2003 Summary report released on May 12, 2004 by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 17,292,050 bales of Upland and 416,850 bales of American Pima cotton. The number of active cotton gins for crop year 2003 was 890 compared with 921 in 2002. Classings at AMS, Cotton Program Offices totaled 17,289,955 Upland samples and 409,349 American Pima samples through April 29, 2004.

May 27, 2004

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through
2003 Crop

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	8	235	2,255	13,624	47,997	114,715	229,029	342,153	750,016
	3	6	189	1,221	7,209	28,380	81,801	197,095	337,973	653,874
	4	-	12	118	759	3,448	8,819	14,581	25,363	53,100
	5	-	-	4	49	191	501	522	652	1,919
	6	-	-	-	-	4	13	9	15	41
	7	-	-	-	-	1	2	-	-	3
	TOTAL	14	436	3,598	21,641	80,021	205,851	441,236	706,156	1,458,953
31	1-2	8	98	685	3,528	12,832	38,572	96,302	139,052	291,077
	3	22	248	1,714	9,637	36,630	140,940	718,849	1,727,565	2,635,605
	4	12	114	697	4,445	16,626	43,603	161,007	503,233	729,737
	5	-	9	130	1,007	4,103	9,803	12,584	21,923	49,559
	6	-	1	5	60	387	1,019	984	841	3,297
	7	-	-	-	4	31	91	70	41	237
	TOTAL	42	470	3,231	18,681	70,609	234,028	989,796	2,392,655	3,709,512
41	1-2	-	-	32	219	886	3,809	11,797	16,689	33,432
	3	-	4	70	811	5,248	61,305	372,857	852,383	1,292,678
	4	-	12	89	638	3,293	24,933	171,676	556,796	757,437
	5	-	12	76	450	2,088	5,794	15,413	41,679	65,512
	6	-	1	43	194	668	1,673	2,596	3,452	8,627
	7	-	-	1	56	118	273	462	450	1,360
	TOTAL	-	29	311	2,368	12,301	97,787	574,801	1,471,449	2,159,046
51	1-2	-	-	1	9	22	133	293	360	818
	3	-	-	1	24	425	4,506	16,420	23,153	44,529
	4	-	-	1	15	364	4,583	20,564	34,449	59,976
	5	-	-	-	7	88	1,032	4,030	6,672	11,829
	6	-	-	-	3	28	157	507	754	1,449
	7	-	-	-	2	29	66	147	177	421
	TOTAL	-	-	3	60	956	10,477	41,961	65,565	119,022
61	1-2	-	-	-	-	-	4	9	11	24
	3	-	-	1	1	6	38	86	96	228
	4	-	-	-	1	2	71	218	247	539
	5	-	-	-	-	5	30	121	144	300
	6	-	-	-	-	1	9	21	28	59
	7	-	-	-	-	-	3	6	4	13
	TOTAL	-	-	1	2	14	155	461	530	1,163
71	1-2	-	-	-	-	1	-	1	2	4
	3	-	-	-	-	2	2	3	7	14
	4	-	-	-	-	-	1	2	4	7
	5	-	-	-	-	-	-	1	2	3
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	3	3	7	15	28
12 & 22	1-2	3	116	806	2,131	4,689	8,155	10,434	11,091	37,425
	3	1	32	324	1,488	5,159	9,728	14,021	16,706	47,459
	4	-	10	54	308	894	1,460	2,088	2,852	7,666
	5	-	3	1	17	67	129	82	156	455
	6	-	-	-	-	-	5	1	6	12
	7	-	-	-	-	-	-	-	-	-
	TOTAL	4	161	1,185	3,944	10,809	19,477	26,626	30,811	93,017
32	1-2	3	50	253	751	1,448	2,525	3,326	2,902	11,258
	3	5	78	456	2,338	6,555	11,665	25,014	35,175	81,286
	4	-	35	269	1,374	4,126	8,054	14,338	23,793	51,989
	5	1	8	81	331	1,245	2,377	2,027	2,912	8,982
	6	-	1	3	24	138	283	177	229	855
	7	-	-	-	2	25	43	30	29	129
	TOTAL	9	172	1,062	4,820	13,537	24,947	44,912	65,040	154,499
42	1-2	-	-	12	56	127	422	848	752	2,217
	3	-	4	74	577	2,031	6,427	22,234	35,250	66,597
	4	-	5	68	609	2,765	7,256	23,668	49,037	83,408
	5	-	3	37	306	1,213	2,914	5,189	8,656	18,318
	6	-	4	32	72	294	600	697	845	2,544
	7	-	-	2	24	55	131	117	138	467
	TOTAL	-	16	225	1,644	6,485	17,750	52,753	94,678	173,551
52	1-2	-	-	-	1	1	28	62	56	148
	3	-	-	2	21	210	1,153	4,276	5,250	10,912
	4	1	-	4	34	223	1,505	7,073	12,295	21,135
	5	-	-	1	5	70	340	1,692	3,047	5,155
	6	-	-	3	8	17	45	217	293	583
	7	-	-	-	1	2	13	42	39	97
	TOTAL	1	-	10	70	523	3,084	13,362	20,980	38,030

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through
2003 Crop

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	-	1	-	6	5	12
	3	-	-	-	3	27	92	109	91	322
	4	-	-	-	1	8	81	176	157	423
	5	-	-	-	-	1	26	87	99	213
	6	-	-	-	-	1	3	18	16	38
	7	-	-	-	-	-	-	2	-	2
	TOTAL	-	-	-	4	38	202	398	368	1,010
13 & 23	1-2	-	6	32	125	299	583	854	1,153	3,052
	3	-	2	41	214	646	1,123	1,409	1,509	4,944
	4	-	-	48	131	225	213	194	239	1,050
	5	-	1	16	53	74	36	12	20	212
	6	-	-	-	-	-	1	1	-	2
	7	-	-	-	-	-	-	-	-	-
	TOTAL	-	9	137	523	1,244	1,956	2,470	2,921	9,260
33	1-2	1	5	8	77	195	295	421	426	1,428
	3	-	16	116	298	669	1,255	2,248	3,568	8,170
	4	-	9	183	441	967	1,168	1,389	1,848	6,005
	5	-	6	71	465	834	623	428	387	2,814
	6	-	1	16	31	90	85	67	42	332
	7	-	-	4	2	10	4	2	6	28
	TOTAL	1	37	398	1,314	2,765	3,430	4,555	6,277	18,777
43	1-2	-	-	-	6	13	38	144	147	348
	3	-	-	6	52	150	497	1,932	3,700	6,337
	4	-	9	30	75	307	822	2,448	3,900	7,591
	5	-	-	19	101	277	809	1,089	839	3,134
	6	-	1	6	27	109	235	270	139	787
	7	-	-	-	2	21	63	34	26	146
	TOTAL	-	10	61	263	877	2,464	5,917	8,751	18,343
53	1-2	-	-	-	1	2	20	23	19	65
	3	-	-	-	4	35	281	887	990	2,197
	4	-	-	2	12	38	379	1,768	2,328	4,527
	5	-	-	-	7	32	113	367	665	1,184
	6	-	-	-	4	8	26	48	98	184
	7	-	-	-	-	-	5	10	13	28
	TOTAL	-	-	2	28	115	824	3,103	4,113	8,185
63	1-2	-	-	-	-	-	1	-	1	2
	3	-	-	-	-	3	25	52	36	116
	4	-	-	-	-	7	27	177	186	397
	5	-	-	-	1	-	19	154	156	330
	6	-	-	-	-	-	11	53	49	113
	7	-	-	-	-	-	-	1	4	5
	TOTAL	-	-	-	1	10	83	437	432	963
24-54	1-7	-	8	215	1,123	1,562	1,183	1,142	1,623	6,856
25-35	1-7	-	-	4	98	135	58	1	1	297
81-85 1/	1-7	-	-	15	118	109	115	214	237	808
All Colors	8 2/	-	1	6	34	81	152	485	587	1,346
TOTAL, ALL		71	1,349	10,464	56,736	202,194	624,026	2,204,637	4,873,189	7,972,666

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through
2003 Crop

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
11 & 21	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	3	399,529	392,109	336,383	177,708	95,041	18,305	1,419,075	2,169,091
	4	310,461	272,844	285,735	81,510	45,131	16,457	1,012,138	1,666,012
	5	29,115	21,382	20,829	5,454	1,490	775	79,045	132,145
	6	551	415	277	127	38	11	1,419	3,338
	7	10	7	5	1	1	-	24	65
	TOTAL	739,666	686,757	643,229	264,800	141,701	35,548	2,511,701	3,970,654
31	1-2	122,162	87,921	46,144	18,235	9,164	2,708	286,334	577,411
	3	1,515,762	666,743	250,813	46,008	22,251	11,451	2,513,028	5,148,633
	4	680,634	346,665	127,908	23,677	5,331	2,441	1,186,656	1,916,393
	5	30,593	16,859	8,005	1,793	428	197	57,875	107,434
	6	902	459	315	79	18	4	1,777	5,074
	7	20	12	6	1	1	-	40	277
	TOTAL	2,350,073	1,118,659	433,191	89,793	37,193	16,801	4,045,710	7,755,222
41	1-2	11,537	5,566	2,655	660	147	17	20,582	54,014
	3	673,866	218,289	59,541	8,442	1,490	272	961,900	2,254,578
	4	708,681	310,172	99,741	18,046	2,424	387	1,139,451	1,896,888
	5	67,877	39,344	20,014	5,051	748	82	133,116	198,628
	6	3,980	2,221	1,547	339	49	7	8,143	16,770
	7	350	165	115	20	1	2	653	2,013
	TOTAL	1,466,291	575,757	183,613	32,558	4,859	767	2,263,845	4,422,891
51	1-2	329	128	87	18	3	1	566	1,384
	3	13,269	4,257	2,432	547	57	10	20,572	65,101
	4	24,934	9,317	5,028	946	76	450	40,751	100,727
	5	5,664	2,959	1,843	272	70	1	10,809	22,638
	6	811	462	382	62	48	-	1,765	3,214
	7	173	101	41	4	1	-	320	741
	TOTAL	45,180	17,224	9,813	1,849	280	26	74,372	193,394
61	1-2	7	6	8	1	-	1	23	47
	3	85	49	39	9	-	2	184	412
	4	133	68	57	6	1	-	265	804
	5	56	37	54	12	1	-	160	460
	6	23	20	15	3	-	-	61	120
	7	9	3	4	1	-	-	17	30
	TOTAL	313	183	177	32	2	3	710	1,873
71	1-2	3	-	-	-	-	-	3	7
	3	6	6	7	2	-	-	21	35
	4	1	2	9	1	-	-	13	20
	5	1	1	-	-	-	-	2	5
	6	-	1	-	-	-	-	1	1
	7	1	-	-	-	-	-	1	1
	TOTAL	12	10	16	3	-	-	41	69
12 & 22	1-2	8,347	4,667	2,679	1,505	914	163	18,275	55,700
	3	14,653	10,431	8,254	2,368	1,339	560	37,605	85,064
	4	2,902	2,063	1,433	375	89	113	6,975	14,641
	5	134	74	45	6	2	7	268	723
	6	-	3	-	-	-	-	3	15
	7	-	-	-	-	-	-	-	-
	TOTAL	26,036	17,238	12,411	4,254	2,344	843	63,126	156,143
32	1-2	1,999	1,238	946	599	382	105	5,269	16,527
	3	28,172	15,730	10,883	3,308	2,031	772	60,896	142,182
	4	24,443	12,967	9,533	2,744	742	685	51,114	103,103
	5	3,165	1,481	879	351	145	187	6,208	15,190
	6	204	92	57	26	5	6	390	1,245
	7	20	8	2	1	-	-	31	160
	TOTAL	58,003	31,516	22,300	7,029	3,305	1,755	123,908	278,407
42	1-2	414	340	354	142	37	4	1,291	3,508
	3	23,532	10,707	6,376	1,624	432	74	42,745	109,342
	4	45,868	19,782	12,261	3,647	601	140	82,299	165,707
	5	9,823	4,567	2,404	730	236	39	17,799	36,117
	6	785	395	276	65	13	4	1,538	4,082
	7	115	28	40	10	-	3	196	663
	TOTAL	80,537	35,819	21,711	6,218	1,319	264	145,868	319,419
52	1-2	56	23	33	20	5	1	138	286
	3	2,988	1,017	765	219	35	2	5,026	15,938
	4	9,460	3,475	2,910	647	52	4	16,548	37,683
	5	2,599	1,269	1,097	224	39	2	5,230	10,385
	6	256	218	240	37	15	-	766	1,349
	7	40	40	31	4	3	1	119	216
	TOTAL	15,399	6,042	5,076	1,151	149	10	27,827	65,857

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through
2003 Crop

QUALITY	LEAF	STAPLE								TOTAL	
		35	36	37	38	39	40 &+	35 to 40+	Bales		
62	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
	3	1	3	-	3	1	-	8	20		
	4	60	37	42	8	1	-	148	470		
	5	113	78	66	8	-	1	266	689		
	6	40	30	48	10	1	-	129	342		
	7	12	15	34	8	1	-	70	108		
		2	2	4	-	-	-	8	10		
TOTAL--		228	165	194	37	4	1	629	1,639		
13 & 23	1-2	976	545	250	170	56	6	2,003	5,055		
	3	1,213	798	857	119	61	17	3,065	8,009		
	4	251	135	65	12	4	2	469	1,519		
	5	15	15	1	-	-	-	31	243		
	6	1	-	-	-	-	-	1	3		
	7	-	-	-	-	-	-	-	-		
		2,456	1,493	1,173	301	121	25	5,569	14,829		
33	1-2	366	263	133	121	75	9	967	2,395		
	3	3,409	2,592	1,886	550	232	69	8,738	16,908		
	4	1,850	1,321	1,017	315	55	48	4,606	10,611		
	5	304	99	62	33	19	3	520	3,334		
	6	29	3	5	2	1	2	42	374		
	7	1	-	-	-	-	-	1	29		
		5,959	4,278	3,103	1,021	382	131	14,874	33,651		
43	1-2	132	59	64	24	5	-	284	632		
	3	3,871	2,817	1,657	425	91	18	8,879	15,216		
	4	4,178	2,956	2,766	762	110	25	10,797	18,388		
	5	740	438	428	128	59	21	1,814	4,948		
	6	139	57	46	26	4	8	280	1,067		
	7	27	6	6	2	1	-	42	188		
		9,087	6,333	4,967	1,367	270	72	22,096	40,439		
53	1-2	15	6	9	7	1	-	38	103		
	3	695	407	394	85	9	2	1,592	3,789		
	4	1,824	1,229	1,199	264	23	3	4,542	9,069		
	5	522	432	575	76	12	8	1,625	2,809		
	6	75	61	104	11	5	4	260	444		
	7	5	5	9	6	2	-	27	55		
		3,136	2,140	2,290	449	52	17	8,084	16,269		
63	1-2	1	1	-	-	1	1	4	6		
	3	11	11	14	2	-	-	38	154		
	4	78	58	54	6	-	-	196	593		
	5	72	42	29	2	-	-	145	475		
	6	12	6	11	2	-	-	31	144		
	7	3	1	1	-	-	-	5	10		
		177	119	109	12	1	1	419	1,382		
24-54	1-7	1,794	2,172	2,013	633	125	11	6,748	13,604		
	25-36	1-7	1	-	-	-	-	1	298		
	81-85 1/	1-7	373	462	446	118	24	5	1,428	2,236	
	All Colors	8 2/	161	87	67	15	3	-	333	1,679	
		4,804,882	2,506,454	1,345,899	411,640	192,134	56,280	9,317,289	17,289,955		
EXTRANEOUS MATTER											
		Bark - Level 1		351,309							
		Bark - Level 2		391							
		Grass - Level 1		90,666							
		Grass - Level 2		1,295							
		Prep - Level 1		79,277							
		Prep - Level 2		270							
		Other - Level 1		4,699							
		Other - Level 2		29							

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2002 Crop

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	3	82	1,066	5,724	15,886	36,875	69,031	107,085	235,752
	3	5	113	1,018	6,457	24,503	55,407	100,182	127,832	315,517
	4	1	46	231	1,168	4,900	12,073	20,417	28,041	66,877
	5	-	-	13	28	194	552	942	1,217	2,946
	6	-	-	-	-	3	20	29	18	70
	7	-	-	-	-	-	1	2	-	3
	TOTAL--	9	241	2,328	13,377	45,486	104,928	190,603	264,193	621,165
31	1-2	1	26	337	1,573	5,797	15,466	32,653	59,629	115,482
	3	3	209	2,585	15,627	58,962	148,841	307,557	483,386	1,017,170
	4	5	115	1,357	8,293	40,601	114,822	214,770	280,967	660,930
	5	2	14	138	934	4,909	16,115	32,216	38,811	93,139
	6	-	1	3	53	222	835	1,991	2,195	5,300
	7	-	-	-	4	3	22	107	101	237
	TOTAL--	11	365	4,420	26,484	110,494	296,101	589,294	865,089	1,892,258
41	1-2	-	40	199	615	1,742	5,253	12,510	23,601	43,960
	3	6	176	1,945	11,842	43,592	127,847	382,598	786,610	1,354,616
	4	9	181	2,169	14,892	62,276	171,874	393,040	746,126	1,390,567
	5	1	40	541	3,263	15,144	48,093	96,347	111,862	275,291
	6	-	6	64	369	1,434	4,606	10,495	12,090	29,064
	7	-	-	8	33	92	274	724	814	1,945
	TOTAL--	16	443	4,926	31,014	124,280	357,947	895,714	1,681,103	3,095,443
51	1-2	-	-	3	26	134	785	2,836	2,523	6,307
	3	-	2	59	716	5,404	29,313	105,613	144,360	285,467
	4	1	9	102	1,001	7,465	38,105	120,442	194,049	361,174
	5	-	22	84	428	2,135	6,810	16,739	23,096	49,314
	6	-	11	45	172	647	1,543	2,913	3,128	8,459
	7	-	-	3	45	100	221	446	456	1,271
	TOTAL--	1	44	296	2,388	15,885	76,777	248,989	367,612	711,992
61	1-2	-	-	1	2	5	46	120	74	248
	3	-	-	3	35	187	1,245	4,588	4,461	10,519
	4	-	1	2	25	207	1,110	4,048	4,288	9,681
	5	-	-	-	5	72	248	585	670	1,580
	6	-	-	-	4	35	62	127	97	325
	7	-	-	-	1	4	18	23	11	57
	TOTAL--	-	1	6	72	510	2,729	9,491	9,601	22,410
71	1-2	-	-	-	-	-	-	3	1	4
	3	-	-	-	-	4	8	15	8	35
	4	-	-	-	2	5	21	22	20	70
	5	-	-	-	-	4	7	4	4	19
	6	-	-	-	2	4	2	1	-	9
	7	-	-	-	1	1	-	-	-	2
	TOTAL--	-	-	-	5	18	38	45	33	139
12 & 22	1-2	10	49	326	1,315	3,354	4,699	4,438	3,912	18,103
	3	11	84	601	2,167	6,822	12,540	15,994	14,475	52,694
	4	-	53	150	568	2,065	4,149	6,185	6,631	19,801
	5	-	4	13	29	137	328	416	419	1,346
	6	-	-	-	2	2	9	13	16	42
	7	-	-	-	-	-	-	-	-	-
	TOTAL--	21	190	1,090	4,081	12,380	21,725	27,046	25,453	91,986
32	1-2	2	34	149	561	1,072	2,216	4,073	4,139	12,246
	3	12	184	1,487	7,006	18,719	38,251	72,148	90,346	228,153
	4	18	142	741	3,998	15,067	32,510	48,544	55,234	156,254
	5	13	38	130	498	1,994	5,920	9,735	9,462	27,790
	6	-	4	10	62	183	501	989	955	2,704
	7	-	1	1	8	8	29	62	74	183
	TOTAL--	45	403	2,518	12,133	37,043	79,427	135,551	160,210	427,330
42	1-2	1	28	104	326	681	1,878	3,174	3,012	9,204
	3	10	269	2,314	9,699	24,779	62,386	159,140	226,552	485,149
	4	17	216	2,305	11,848	35,663	76,676	152,201	240,315	519,241
	5	1	39	405	2,608	8,118	17,180	29,223	28,282	85,856
	6	-	14	65	360	840	1,973	4,118	3,848	11,218
	7	-	5	7	30	66	190	597	531	1,426
	TOTAL--	29	571	5,200	24,871	70,147	160,283	348,453	502,540	1,112,094
52	1-2	-	-	1	24	101	452	1,083	761	2,422
	3	-	17	153	986	5,683	28,660	80,320	86,960	202,779
	4	1	21	223	1,623	9,569	42,191	113,534	149,969	317,131
	5	1	7	73	573	2,909	7,818	15,118	17,504	44,003
	6	-	3	29	134	597	1,305	2,110	2,145	6,323
	7	-	-	5	22	113	211	275	344	970
	TOTAL--	2	48	484	3,362	18,972	80,637	212,440	257,683	573,628

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2002 Crop

QUALITY	LEAF	STAPLE								
		26 & -		28		29		30		31
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	3	7	5	10	54	105	54	238
	3	-	-	38	155	895	5,962	16,413	11,603	35,066
	4	-	-	23	164	1,637	8,868	25,657	24,700	61,049
	5	-	-	7	37	394	1,598	3,141	2,795	7,972
	6	-	-	2	9	141	331	351	203	1,037
	7	-	-	2	4	32	70	56	57	221
	TOTAL	-	3	79	374	3,109	16,883	45,723	39,412	105,583
13 & 23	1-2	-	-	5	20	127	299	298	254	1,003
	3	1	-	13	120	330	736	1,080	1,035	3,315
	4	-	-	2	27	245	341	422	423	1,460
	5	-	-	-	2	13	19	33	30	97
	6	-	-	-	-	1	-	1	1	3
	7	-	-	-	-	-	-	-	-	-
	TOTAL	-	1	-	20	169	716	1,395	1,834	1,743
33	1-2	-	3	10	49	141	343	527	498	1,571
	3	1	9	74	513	1,565	3,596	6,953	8,932	21,643
	4	-	4	44	257	1,300	2,827	3,953	4,669	13,054
	5	-	2	6	75	332	727	968	789	2,899
	6	-	-	6	18	47	129	190	98	488
	7	-	-	-	-	-	9	11	12	32
	TOTAL	-	1	18	140	912	3,385	7,631	12,602	14,998
43	1-2	-	1	5	13	49	319	684	556	1,627
	3	-	33	184	726	2,108	8,585	22,815	28,619	63,070
	4	-	22	233	977	2,939	7,619	16,811	25,097	53,698
	5	-	7	40	191	522	1,254	2,393	2,632	7,039
	6	-	1	11	45	116	308	614	649	1,744
	7	-	-	2	5	8	84	174	112	385
	TOTAL	-	1	475	1,957	5,742	18,169	43,491	57,665	127,563
53	1-2	-	-	6	12	17	97	179	164	475
	3	-	5	57	340	1,760	7,441	17,714	17,296	44,613
	4	-	5	48	407	2,530	9,711	23,997	27,876	64,574
	5	-	19	25	168	511	1,291	2,909	3,508	8,431
	6	-	5	5	21	53	167	373	433	1,057
	7	-	-	-	1	11	11	50	63	143
	TOTAL	-	34	141	936	4,882	18,718	45,222	49,340	119,293
63	1-2	-	-	-	3	-	8	38	16	65
	3	-	-	4	48	436	3,589	6,828	3,680	14,585
	4	-	-	11	122	1,006	5,224	13,085	10,219	29,667
	5	-	-	13	35	313	1,025	2,197	1,682	5,265
	6	-	-	1	16	66	126	172	116	497
	7	-	-	-	3	10	35	34	13	95
	TOTAL	-	-	29	227	1,831	10,007	22,354	15,726	50,174
24-54	1-7	1	20	53	238	849	2,475	6,399	8,360	18,395
25-35	1-7	-	-	-	1	1	2	5	9	-
81-85 1/	1-7	-	-	13	223	854	2,622	4,401	3,127	11,240
All Colors	8 2/	-	12	4	31	125	337	562	404	1,475
TOTAL, ALL	-	137	2,457	22,222	122,874	456,709	1,258,830	2,840,216	4,324,297	9,027,742

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through
2002 Crop

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
11 & 21	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	3	178,088	232,465	276,982	149,676	44,871	5,202	887,284	1,123,036
	4	119,088	163,034	255,093	87,571	39,184	23,301	687,271	1,002,788
	5	19,395	11,582	13,395	4,300	1,461	222	50,355	117,232
	6	875	425	222	46	11	2	1,581	4,527
	7	25	8	6	-	-	-	39	109
	TOTAL	317,471	407,514	545,698	241,593	85,527	28,727	1,626,530	2,247,695
31	1-2	83,298	65,982	39,148	14,061	4,296	445	207,230	322,712
	3	408,526	216,278	116,023	34,313	13,697	5,791	794,628	1,811,798
	4	239,626	130,417	66,490	10,303	2,594	461	449,891	1,110,821
	5	24,009	10,791	6,966	1,318	234	36	43,354	136,493
	6	1,012	329	196	52	3	1	1,593	6,893
	7	40	6	2	-	-	-	54	291
	TOTAL	756,511	423,803	228,829	60,049	20,824	6,734	1,496,750	3,389,008
41	1-2	20,920	9,054	3,064	320	62	8	33,428	77,388
	3	643,425	233,784	54,380	6,448	500	95	938,632	2,293,248
	4	803,950	413,071	140,497	18,752	1,683	44	1,377,997	2,768,564
	5	77,896	44,338	25,617	4,218	542	25	152,636	427,927
	6	6,273	2,835	1,860	218	17	4	11,207	40,271
	7	412	154	84	18	1	-	669	2,614
	TOTAL	1,552,876	703,236	225,502	29,974	2,805	176	2,514,569	5,610,012
51	1-2	1,257	422	112	69	34	1	1,895	8,202
	3	81,192	22,896	5,644	1,000	55	9	110,796	396,263
	4	141,410	56,766	22,110	3,545	541	3,263	227,635	588,809
	5	17,454	10,119	5,075	898	136	8	33,690	83,004
	6	1,555	753	359	77	8	1	2,753	11,212
	7	160	88	31	-	-	-	279	1,550
	TOTAL	243,028	91,044	33,331	5,589	617	42	373,651	1,085,643
61	1-2	21	15	14	3	3	-	56	304
	3	1,530	405	79	15	5	3	2,037	12,556
	4	2,289	1,042	403	70	3	4	3,811	13,492
	5	345	222	88	7	1	-	663	2,243
	6	53	32	6	4	2	-	97	422
	7	1	5	4	-	-	-	10	67
	TOTAL	4,239	1,721	584	99	14	7	6,674	29,084
71	1-2	1	3	-	1	-	-	5	9
	3	8	15	7	7	-	-	37	72
	4	18	15	12	12	-	-	57	127
	5	3	7	-	1	-	-	11	30
	6	1	1	-	-	-	-	2	11
	7	-	-	-	-	-	-	-	2
	TOTAL	31	41	19	21	-	-	112	251
12 & 22	1-2	3,262	2,207	1,889	722	146	35	8,261	26,364
	3	7,642	3,798	2,441	731	264	307	15,183	67,877
	4	3,735	1,515	670	84	21	3	6,028	25,829
	5	291	104	28	5	-	-	428	1,774
	6	6	1	-	-	-	-	7	49
	7	-	1	-	-	-	-	1	1
	TOTAL	14,936	7,626	5,028	1,542	431	345	29,908	121,894
32	1-2	2,461	1,078	565	210	69	20	4,403	16,649
	3	59,403	18,859	5,318	1,155	278	273	85,286	313,439
	4	44,275	17,577	4,821	573	135	29	67,410	223,664
	5	5,868	2,082	541	66	19	3	8,579	36,369
	6	427	114	46	1	-	-	588	3,292
	7	33	9	4	-	-	-	46	229
	TOTAL	112,467	39,719	11,295	2,005	501	325	166,312	593,642
42	1-2	1,303	375	148	37	9	1	1,873	11,077
	3	137,502	33,240	4,701	599	73	10	176,125	661,274
	4	210,974	73,947	12,035	949	145	2	298,052	817,293
	5	21,952	10,938	2,479	220	53	8	35,650	121,506
	6	1,744	619	162	26	2	-	2,553	13,771
	7	216	50	13	2	-	1	282	1,708
	TOTAL	373,691	119,169	19,538	1,833	282	22	514,535	1,626,629
52	1-2	221	39	27	9	2	-	298	2,720
	3	32,859	5,945	951	133	6	-	39,894	242,673
	4	81,281	19,906	3,403	264	46	3	104,903	422,034
	5	11,551	5,161	1,301	139	36	5	18,193	62,196
	6	977	293	106	29	2	-	1,407	7,730
	7	127	12	13	2	4	-	158	1,128
	TOTAL	127,016	31,356	5,801	576	96	8	164,853	738,481

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through
2002 Crop

QUALITY	LEAF	STAPLE								TOTAL
		35 Bales	36 Bales	37 Bales	38 Bales	39 Bales	40 & + Bales	35 to 40+ Bales	Bales	
62	1-2	11	1	-	-	-	-	20	258	
	3	2,370	241	92	10	1	-	2,714	37,780	
	4	8,183	2,207	333	41	3	-	10,767	71,816	
	5	916	363	75	12	3	-	1,369	9,341	
	6	64	9	5	-	-	-	78	1,115	
	7	4	5	3	-	-	-	12	233	
	TOTAL	11,548	2,833	509	63	7	-	14,960	120,543	
13 & 23	1-2	203	161	131	60	10	12	577	1,580	
	3	686	395	182	31	15	24	1,333	4,648	
	4	301	133	52	7	1	1	495	1,955	
	5	13	12	4	-	-	-	29	126	
	6	1	5	-	-	-	-	6	9	
	7	-	-	-	-	-	-	-	-	
	TOTAL	1,204	706	369	98	26	37	2,440	8,318	
33	1-2	316	295	156	61	15	8	851	2,422	
	3	6,216	2,403	1,049	214	54	75	10,011	31,654	
	4	3,678	1,692	699	105	8	4	6,186	19,240	
	5	527	217	128	16	2	-	890	3,789	
	6	39	12	10	3	-	-	64	552	
	7	4	-	2	-	-	-	6	38	
	TOTAL	10,780	4,619	2,044	399	79	87	18,008	57,695	
43	1-2	220	64	61	16	4	1	366	1,993	
	3	16,449	4,387	1,001	197	23	6	22,063	85,133	
	4	19,368	6,992	1,385	165	49	1	27,960	81,658	
	5	2,130	997	408	69	14	1	3,619	10,658	
	6	215	98	71	7	3	-	394	2,138	
	7	23	10	5	-	-	-	38	423	
	TOTAL	38,405	12,548	2,931	454	93	9	54,440	182,003	
53	1-2	40	8	5	2	-	1	56	531	
	3	6,020	1,017	239	35	-	-	7,311	51,924	
	4	13,484	2,931	547	57	11	-	17,030	81,604	
	5	2,118	718	235	22	5	-	3,098	11,529	
	6	198	42	25	2	1	-	268	1,325	
	7	21	6	-	1	-	-	28	171	
	TOTAL	21,881	4,722	1,051	119	17	1	27,791	147,084	
63	1-2	2	-	-	-	-	-	2	67	
	3	669	85	34	5	-	-	793	15,378	
	4	2,566	475	75	29	1	-	3,146	32,813	
	5	464	133	9	1	-	-	607	5,872	
	6	33	5	3	-	-	-	41	538	
	7	3	1	-	-	-	-	4	99	
	TOTAL	3,737	699	121	35	1	-	4,593	54,767	
24-54	1-7	4,880	1,673	567	136	28	28	7,312	25,707	
25-35	1-7	6	1	-	-	-	-	7	16	
81-85 1/	1-7	1,058	278	68	29	5	14	1,452	12,692	
All Colors	8 2/	180	50	58	-	1	-	289	1,764	
TOTAL, ALL		3,595,945	1,853,358	1,083,353	344,614	111,354	36,562	7,025,186	16,052,928	
										Average Staple -- 34.3 Percent Tenderable -- 52.0
EXTRANEOUS MATTER										
Bark - Level 1		888,534								
Bark - Level 2		776								
Grass - Level 1		99,409								
Grass - Level 2		1,409								
Prep - Level 1		37,542								
Prep - Level 2		169								
Other - Level 1		25,519								
Other - Level 2		85								

16,052,928 bales classed 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	■	■	■	0.1	0.3	0.7	1.3	2.0	2.3	2.3	1.9	1.0	0.5	0.1	12.5	
	3	■	■	■	■	0.2	0.5	1.1	2.0	1.8	1.6	1.7	0.5	0.3	0.1	9.6	
	4	-	■	■	■	■	■	0.1	0.1	0.2	0.1	0.1	■	■	■	0.8	
	5	-	-	■	■	■	■	■	■	■	■	■	■	■	■	■	
	6	-	-	-	■	■	■	■	■	■	■	■	■	■	■	■	
	7	-	-	-	■	■	-	-	-	-	-	-	-	-	-	■	
	TOTAL	*	*	*	0.1	0.5	1.2	2.6	4.1	4.3	4.0	3.7	1.5	0.8	0.2	23.0	
31	1-2	■	■	■	■	0.1	0.2	0.6	0.8	0.7	0.5	0.3	0.1	*	■	3.3	
	3	*	■	■	■	0.1	0.2	0.8	4.2	10.0	8.8	3.9	1.5	0.3	0.1	0.1	29.8
	4	■	■	■	■	■	0.1	0.3	0.9	2.9	3.9	2.0	0.7	0.1	*	*	11.1
	5	-	■	■	■	■	■	0.1	0.1	0.2	0.1	■	■	■	■	■	0.6
	6	-	■	*	■	■	■	■	*	■	*	■	■	■	*	■	■
	7	-	-	-	■	■	■	■	*	■	*	■	■	■	*	■	
	TOTAL	*	■	■	■	0.1	0.4	1.4	5.7	13.8	13.6	6.5	2.5	0.5	0.2	0.1	44.5
41	1-2	-	-	■	■	■	*	0.1	0.1	0.1	*	■	■	*	■	■	0.3
	3	-	■	*	■	■	■	0.4	2.2	4.9	3.9	1.3	0.3	■	*	■	13.0
	4	-	■	■	■	■	■	0.1	1.0	3.2	4.1	1.8	0.6	0.1	*	■	11.0
	5	-	■	*	■	■	■	■	0.1	0.2	0.4	0.2	0.1	*	■	■	1.1
	6	-	■	■	■	■	■	■	*	■	*	■	■	*	■	■	0.1
	7	-	■	*	■	■	■	*	■	■	*	■	■	*	■	■	
	TOTAL	-	■	■	■	0.1	0.6	3.3	8.5	8.5	3.3	1.1	0.2	*	■	25.6	
51	1-2	-	-	■	■	■	■	■	*	*	*	*	*	*	*	■	0.4
	3	-	-	*	■	■	■	■	0.1	0.1	0.1	*	■	*	*	■	0.4
	4	-	-	■	■	■	■	■	0.1	0.2	0.1	*	■	*	■	■	0.6
	5	-	-	■	*	■	■	*	*	*	*	*	*	*	■	■	0.1
	6	-	-	*	■	■	■	*	*	*	*	*	*	*	■	■	
	7	-	-	*	■	■	■	*	*	*	*	*	*	*	■	■	
	TOTAL	-	■	*	■	■	0.1	0.2	0.4	0.3	0.1	0.1	*	*	■	1.1	
61	1-2	-	-	-	■	■	■	■	*	*	*	■	■	*	*	■	■
	3	-	-	■	■	■	■	*	*	*	*	*	*	*	*	■	
	4	-	-	■	■	■	■	*	*	*	*	*	*	*	*	■	
	5	-	-	■	■	■	■	*	*	*	*	*	*	*	*	■	
	6	-	-	■	■	■	■	*	*	*	*	*	*	*	*	■	
	7	-	-	■	■	■	■	*	*	*	*	*	*	*	*	■	
	TOTAL	-	■	■	■	0.1	0.2	0.4	0.3	0.1	0.1	*	*	*	*	1.1	
71	1-2	-	-	-	*	-	*	*	*	*	-	-	-	-	-	*	■
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	■	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	■	
	5	-	-	-	*	-	*	*	*	*	*	*	*	*	*	■	
	6	-	-	-	*	-	*	*	*	*	*	*	*	*	*	■	
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	*	■	
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	1.1	
12 & 22	1-2	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3	
	3	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	*	*	0.9	
32	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	*	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	0.8	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.6	
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	*	*	*	*	0.1	0.1	0.3	0.4	0.3	0.2	0.1	*	*	*	1.6	
42	1-2	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	*	0.6
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.6
	4	-	*	*	*	*	*	*	0.1	0.3	0.3	0.1	0.1	*	*	*	1.0
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	*	*	*	*	*	0.1	0.3	0.5	0.5	0.2	0.1	*	*	*	1.8
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	*	-	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	*	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4

Table 3. – United States: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	-	*	*	*	*	*	-	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL		*	*	0.1	0.3	1.2	3.6	12.8	28.2	27.8	14.5	7.8	2.4	1.1	0.3	100.0
EXTRANEous MATTER																Average Staple 34.7 Percent Tenderable 74.6
Bark - Level 1	2.0															
Bark - Level 2	*															
Grass - Level 1	0.5															
Grass - Level 2	*															
Prep - Level 1	0.5															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

17,289,955 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.2
	3	-	-	-	-	-	-	0.4	0.6	0.4	0.2	-	-	-	-	1.6
	4	-	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	0.1	0.5	0.8	0.6	0.3	*	*	*	*	2.3
31	1-2	-	-	-	-	*	0.1	0.3	0.4	0.2	*	*	-	-	-	0.9
	3	-	-	-	*	*	0.7	5.2	11.1	9.8	3.0	0.3	*	*	*	30.1
	4	-	-	-	*	*	0.2	3.1	7.8	6.7	2.9	0.4	*	*	*	21.2
	5	-	-	-	*	*	0.2	0.6	0.5	0.2	*	*	-	-	-	1.6
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	0.1	1.1	8.7	19.9	17.3	6.1	0.7	*	*	*	53.8
41	1-2	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	0.5	3.7	7.5	5.2	1.1	0.1	*	*	*	18.1
	4	-	-	-	-	*	0.3	2.7	6.4	5.4	1.8	0.5	*	*	*	17.0
	5	-	-	-	-	*	*	0.4	1.0	0.8	0.2	0.1	*	*	-	2.6
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	*	0.9	6.9	15.1	11.6	3.1	0.6	*	*	*	-	38.2
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	-	0.9
	5	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	*	*	0.2	0.5	0.7	0.3	*	*	*	*	-	1.7
61	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.3
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.7
42	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.3	0.4	0.2	*	*	*	*	*	1.0
	4	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	*	*	1.0
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	0.1	0.6	0.9	0.5	0.1	*	*	*	-	2.2
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	0.2	0.3	0.1	*	*	*	-	0.6

* Less than 0.05 percent.

Table 4. — Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	•
	3	-	-	-	-	*	-	*	-	-	-	-	-	-	-	•
	4	-	-	-	*	-	*	*	*	-	-	-	-	-	-	•
	5	-	-	-	-	-	*	-	*	*	*	*	*	-	-	•
	6	-	-	-	-	-	*	-	*	*	*	*	*	-	-	•
	7	-	-	-	-	-	*	-	*	*	*	*	*	-	-	•
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	*	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL	-	-	-	*	0.1	2.4	17.6	38.1	30.6	9.8	1.4	0.1	*	*	100.0	
EXTRANEous MATTER																
Bark - Level 1	2.5															
Bark - Level 2	-															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	0.6															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

799,963 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Average Staple 34.3
Percent Tenderable 86.5

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE																
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL		
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	-	-	*	*	0.6	4.0	10.9	10.9	4.5	0.4	*	*	31.4		
	3	-	-	-	-	*	*	0.1	0.7	2.2	2.8	1.8	0.2	0.1	*	7.9		
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	-	-	-	-	*	*	0.1	0.8	4.7	13.1	13.8	6.3	0.6	0.1	*	39.6	
31	1-2	-	-	-	-	*	*	0.4	2.4	6.3	6.9	3.6	0.4	*	*	19.9		
	3	-	-	-	-	*	*	0.4	2.1	5.7	6.6	3.7	0.5	0.1	*	19.0		
	4	-	-	-	-	*	*	0.2	0.4	0.6	0.5	0.3	0.1	*	*	2.1		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	-	-	-	-	*	*	0.1	1.0	4.9	12.6	14.0	7.6	0.9	0.1	*	41.2	
41	1-2	-	-	-	-	*	*	0.1	0.5	0.7	0.6	0.2	*	*	*	*	2.2	
	3	-	-	-	-	*	*	0.3	1.1	1.8	1.4	0.7	0.1	*	*	5.5		
	4	-	-	-	-	*	*	0.1	0.3	0.5	0.4	0.3	0.2	*	*	1.7		
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	-	-	-	-	*	*	0.2	0.9	2.3	3.1	2.3	1.1	0.1	*	-	9.9	
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2		
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
12 & 22	1-2	-	-	-	-	*	*	*	*	0.1	0.3	0.2	0.1	*	*	*	0.8	
	3	-	-	-	-	*	*	*	*	0.1	0.3	0.3	0.1	*	*	*	0.8	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	-	-	-	-	*	*	*	*	0.2	0.6	0.5	0.2	*	*	*	1.6	
32	1-2	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3	
	3	-	-	-	-	*	*	*	*	*	0.1	0.3	0.4	0.3	0.2	*	1.4	
	4	-	-	-	-	*	*	*	*	*	0.1	0.2	0.3	0.2	*	*	1.0	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	0.1	0.4	0.7	0.8	0.6	0.3	*	*	2.8
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.7
	4	-	-	-	-	*	*	*	*	*	0.1	0.4	0.5	0.3	0.1	*	*	1.5
	5	-	-	-	-	*	*	*	*	*	0.1	0.3	0.3	0.2	*	*	*	0.9
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	0.2	0.8	0.9	0.7	0.4	0.1	*	*	3.2
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3	

* Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE													
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	0.2	0.3	0.2	0.1	*	*	*	*	0.8
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	*	-	*	-	*	-	*	-	*
	4	-	-	*	-	-	*	-	*	-	*	-	*	-	*
	5	-	-	*	-	-	*	-	*	-	*	-	*	-	*
	6	-	-	*	-	-	*	-	*	-	*	-	*	-	*
	7	-	-	*	-	-	*	-	*	-	*	-	*	-	*
	TOTAL	-	-	*	-	-	*	-	*	-	*	-	*	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL	-	-	*	0.1	0.9	4.3	14.2	31.2	31.6	15.7	1.8	0.2	*	100.0	
EXTRANEous MATTER															Average Staple 35.4 Percent Tenderable 61.0
Bark - Level 1		6.4													
Bark - Level 2		*													
Grass - Level 1		0.5													
Grass - Level 2		*													
Prep - Level 1		*													
Prep - Level 2		-													
Other - Level 1		0.3													
Other - Level 1		*													

508,686 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE															
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	-	-	0.1	0.1	*	-	-	-	-	0.2	
	3	-	-	-	-	-	-	0.3	1.2	1.0	0.4	0.1	*	-	-	3.0	
	4	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	-	0.3	
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	*	0.3	1.4	1.2	0.5	0.1	*	*	-	3.5	
31	1-2	-	-	-	-	*	*	0.2	0.5	0.2	0.1	*	-	-	-	1.0	
	3	-	-	-	-	*	*	0.2	3.7	15.6	16.4	6.9	1.4	*	*	-	44.1
	4	-	-	-	-	*	*	0.4	4.1	9.3	3.9	0.6	*	*	-	18.3	
	5	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.4	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	*	*	0.2	4.3	20.3	26.2	11.0	2.0	*	*	-	64.0
41	1-2	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.1	
	3	-	-	-	-	*	*	0.8	4.1	5.4	2.2	0.3	*	*	-	12.9	
	4	-	-	-	-	*	*	0.4	3.1	7.5	3.4	0.5	*	*	-	14.9	
	5	-	-	-	-	*	*	*	0.1	0.6	0.3	*	*	*	-	1.2	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	*	*	0.1	1.2	7.5	13.5	5.9	0.8	*	*	-	29.0
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.2	
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.4	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	*	*	-	0.8
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
32	1-2	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	*	*	*	
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	0.5	
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	0.3	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*	-	0.8
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	0.2	0.2	*	*	*	*	*	0.5	
	4	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	*	*	0.7	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	0.1	0.4	0.5	0.2	*	*	*	-	1.2
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	-	0.2

* Less than 0.05 percent.

Table 6 – Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54 25-35 81-85 1/ All Colors	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL	-	-	-	-	*	0.3	6.3	30.3	42.2	17.9	3.0	0.1	*	*	100.0	
EXTRANEOUS MATTER																Average Staple 34.8 Percent Tenderable 75.7
Bark - Level 1 0.3																
Bark - Level 2 -																
Grass - Level 1 0.1																
Grass - Level 2 -																
Prep - Level 1 0.1																
Prep - Level 2 *																
Other - Level 1 *																
Other - Level 1 -																

1,733,785 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. — California: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE															
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	*	0.2	0.8	3.2	8.9	15.2	11.5	6.4	1.2	47.4	
	3	-	-	-	-	*	*	0.2	1.1	5.1	11.3	4.6	3.0	1.1	26.3		
	4	-	-	-	-	*	*	*	*	0.2	0.7	0.3	0.1	*	1.3		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	0.2	1.1	4.3	14.2	27.1	16.3	9.4	2.4	75.1	
31	1-2	-	-	-	*	*	*	0.1	0.4	0.8	1.1	1.1	1.1	0.6	0.2	5.3	
	3	-	-	-	*	*	*	0.1	0.2	0.6	2.0	3.4	1.7	1.4	0.8	10.4	
	4	-	-	-	*	*	*	*	0.1	0.1	0.5	1.3	0.5	0.3	0.2	3.0	
	5	-	-	-	*	*	*	*	*	*	*	*	0.1	*	*	0.2	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	0.2	0.7	1.6	3.7	5.9	3.3	2.3	1.1	18.9	
41	1-2	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.4	
	3	-	-	-	*	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	1.0	
	4	-	-	-	*	*	*	*	*	0.1	0.2	0.3	0.1	0.1	*	0.9	
	5	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	0.1	0.2	0.3	0.6	0.8	0.4	0.2	*	2.6	
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	*	*	0.1	0.2	0.1	*	*	*	0.5	
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
71	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	0.1	0.1	0.1	*	0.3
	3	-	-	-	*	*	*	*	*	*	*	*	0.1	0.1	0.1	*	0.5
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	0.8	
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	0.6	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.3	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	1.1		
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	0.5	
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	

* Less than 0.05 percent.

Table 7. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	-	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL		-	-	-	*	*	0.1	0.5	2.2	6.6	19.0	34.9	20.6	12.5	3.8	100.0
EXTRANEOUS MATTER																Average Staple 37.2 Percent Tenderable 90.1
Bark - Level 1		0.8														
Bark - Level 2		*														
Grass - Level 1		0.3														
Grass - Level 2		*														
Prep - Level 1		0.2														
Prep - Level 2		*														
Other - Level 1		0.1														
Other - Level 1		-														

1,473,927 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	0.1	0.3	0.1	*	-	-	-	-	0.5
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	0.1	0.4	0.1	*	-	-	-	-	0.6
31	1-2	-	-	-	-	-	*	0.3	0.5	0.1	*	-	-	-	-	1.0
	3	-	-	-	-	*	0.2	3.6	13.3	9.5	1.9	*	-	-	-	28.5
	4	-	-	-	-	-	*	0.4	2.3	3.3	0.9	*	-	-	-	7.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	0.3	4.3	16.2	13.0	2.8	0.1	-	-	-	36.7
41	1-2	-	-	-	-	*	0.2	0.3	0.1	*	-	-	-	-	-	0.6
	3	-	-	-	-	*	0.4	5.8	19.4	11.1	1.1	*	-	-	-	37.8
	4	-	-	-	-	*	0.1	1.3	6.9	6.6	1.1	*	-	-	-	16.0
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	-	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	0.5	7.3	26.7	17.1	2.3	*	-	-	-	54.7
51	1-2	-	-	-	-	*	0.2	0.3	0.1	*	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	1.1	1.5	0.5	*	-	-	-	-	3.2
	4	-	-	-	-	*	0.7	1.4	0.5	*	*	-	-	-	-	2.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	0.1	1.8	3.0	1.0	*	*	-	-	-	6.0
61	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
32	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	-	-	-	-	-	-	-	-	-	0.1
42	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	0.1	0.2	0.2	*	*	-	-	-	-	0.5
	4	-	-	-	-	*	0.1	0.3	0.2	*	*	-	-	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	0.2	0.5	0.3	*	*	-	-	-	-	1.0
52	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	0.1	0.1	*	*	-	-	-	-	-	0.3
	4	-	-	-	-	*	0.1	0.3	0.1	*	*	-	-	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	0.2	0.4	0.2	*	*	-	-	-	-	0.8

* Less than 0.05 percent.

Table 8. - Florida: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	COLOR	LEAF	STAPLE													TOTAL
			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4		-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	■	*	-	-	-	-	-	-	■
13 & 23	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	-	-	-	*	■	*	*	*	*	*	*	■
	4		-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	■	■	■	■	■	■	■	■	*
43	1-2		-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3		-	-	-	-	-	*	■	■	■	■	■	■	■	*
	4		-	-	-	-	-	*	■	■	■	■	■	■	■	*
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
53	1-2		-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3		-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4		-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5		-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6		-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7		-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1-2		-	-	*	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	*	-	-	*	*	-	-	-	-	-	-	*
	4		-	-	*	-	-	*	*	-	-	-	-	-	-	*
	5		-	-	*	-	-	*	*	-	-	-	-	-	-	*
	6		-	-	*	-	-	*	*	-	-	-	-	-	-	*
	7		-	-	*	-	-	*	*	-	-	-	-	-	-	*
	TOTAL		-	-	*	-	-	*	*	*	*	*	*	*	*	*
24-54 25-35 81-85 1/ All Colors	1-7		-	-	-	-	-	-	■	■	-	-	-	-	-	■
	1-7		-	-	-	-	-	-	*	*	-	-	-	-	-	*
	1-7		-	-	-	-	-	-	*	*	-	-	-	-	-	*
	1-7		-	-	-	-	-	-	*	*	-	-	-	-	-	*
	8 2/		-	-	-	-	-	-	*	*	-	-	-	-	-	-
TOTAL, ALL			-	-	*	*	*	1.0	14.0	47.2	32.5	5.2	0.1	-	-	100.0
EXTRANEOUS MATTER															Average Staple	34.3
															Percent Tenderable	87.0
			Bark - Level 1	1.4												
			Bark - Level 2	*												
			Grass - Level 1	0.1												
			Grass - Level 2	*												
			Prep - Level 1	1.1												
			Prep - Level 2	*												
			Other - Level 1	*												
			Other - Level 1	*												

122,227 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	=	=	0.3	0.4	0.3	0.1	*	=	-	-	1.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	*	*	*	0.3	0.5	0.3	0.1	*	*	-	-	1.3
31	1-2	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	-	0.5
	3	-	-	*	*	*	0.6	4.6	10.3	7.1	1.4	0.1	*	*	*	24.2
	4	-	-	*	*	*	0.1	0.9	2.3	2.0	0.6	0.1	*	*	*	6.0
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	*	*	*	0.7	5.7	12.8	9.3	2.0	0.2	*	*	30.8
41	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	3	-	-	*	*	*	1.3	8.1	16.0	9.2	1.4	0.3	*	*	*	36.3
	4	-	-	*	*	*	0.4	3.3	8.6	7.5	1.9	0.6	0.1	*	*	22.4
	5	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	*	*	*	0.1	1.8	11.6	24.9	16.9	3.4	0.9	0.2	*
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	0.1	0.4	0.6	0.3	*	*	*	-	-	1.5
	4	-	-	*	*	*	0.1	0.4	0.8	0.6	0.1	0.1	*	-	*	2.1
	5	-	-	*	*	*	*	*	0.1	*	*	*	*	*	-	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	*	*	*	0.2	0.9	1.5	0.9	0.2	0.1	*	*	3.8
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	*	*	*	*	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	0.4
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	0.3	0.5	0.3	*	*	*	*	1.1
	4	-	-	*	*	*	*	*	0.3	0.7	0.5	0.1	*	*	*	1.7
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	0.1	0.6	1.2	0.8	0.2	0.1	*	*	2.9
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	4	-	-	*	*	*	*	*	0.1	0.2	0.2	*	*	*	*	0.6
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	*	*	0.9

* Less than 0.05 percent.

Table 9. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL	-	-	*	0.1	3.0	19.3	41.5	28.6	5.9	1.3	0.3	*	*	*	100.0	
EXTRANEous MATTER																Average Staple 34.2 Percent Tenderable 86.9
Bark - Level 1	1.3															
Bark - Level 2	*															
Grass - Level 1	0.1															
Grass - Level 2	*															
Prep - Level 1	1.6															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

2,041,394 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	0.1	0.1	0.2	0.1	0.2	0.2	0.1	*	-	-	-	0.9
	3	*	*	0.1	0.6	1.2	1.4	1.5	2.1	1.8	0.6	*	-	-	-	9.3
	4	-	*	*	0.2	0.8	1.2	0.8	0.7	0.7	0.3	*	-	-	-	4.8
	5	-	-	-	*	0.1	0.3	0.1	0.1	*	*	-	-	-	-	0.7
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	*	*	0.1	0.9	2.2	3.0	2.6	3.0	2.8	1.0	*	-	-	-	15.8
31	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	0.1	0.2	0.9	1.7	1.7	1.2	1.0	0.5	0.2	*	-	-	-	7.5
	4	*	0.1	0.3	1.2	4.2	5.8	3.4	1.7	1.2	0.4	*	-	-	-	18.3
	5	-	*	0.1	0.6	2.9	6.3	3.6	1.1	0.7	0.3	*	-	-	-	15.7
	6	-	-	*	*	0.3	0.8	0.6	0.2	0.1	*	*	-	-	-	2.0
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL	*	0.2	0.6	2.9	9.1	14.7	8.9	3.9	2.6	0.8	*	-	-	-	43.7
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	*	0.1	0.1	0.1	*	*	*	*	*	*	*	*	0.3
	4	-	*	*	0.2	0.5	0.6	0.3	0.1	*	*	*	*	*	*	1.7
	5	-	*	*	0.2	1.2	2.2	1.2	0.4	0.1	*	*	*	*	*	5.5
	6	-	-	*	0.1	0.5	1.2	1.2	0.5	0.1	*	*	*	*	*	3.7
	7	-	-	*	*	0.1	0.2	0.4	0.3	*	*	*	*	*	*	1.0
	TOTAL	-	*	0.1	0.6	2.4	4.3	3.1	1.2	0.3	0.1	*	*	*	*	12.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	*	*	0.1	0.3	0.3	0.1	0.1	0.1	0.1	*	*	*	*	1.2
	4	-	*	*	0.1	0.3	0.3	0.1	0.1	0.1	0.1	*	*	*	*	1.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	0.1	0.3	0.7	0.6	0.3	0.3	0.2	0.1	*	*	*	*	2.5
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	0.1	0.1	0.3	0.3	0.1	0.1	0.1	0.1	*	*	*	*	1.2
	4	-	*	*	0.1	0.4	0.8	1.0	0.5	0.2	0.1	0.1	*	*	*	3.2
	5	*	*	*	*	0.2	0.7	1.2	0.5	0.1	0.1	0.1	*	*	*	3.1
	6	-	*	*	*	0.1	0.2	0.1	0.1	0.1	*	*	*	*	*	0.5
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL	*	0.1	0.2	0.8	2.0	2.8	1.2	0.5	0.3	0.2	*	*	*	*	8.0
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	*	0.7
	5	-	*	*	*	0.1	0.4	0.5	0.2	0.1	*	*	*	*	*	1.4
	6	-	*	*	*	*	0.2	0.3	0.2	0.1	*	*	*	*	*	0.9
	7	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	TOTAL	*	0.1	0.3	0.8	1.2	0.6	0.2	0.1	*	*	*	*	*	*	3.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 10. — Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	-	-	*	*	-	-	-	-	*
13 & 23	1-2	-	-	*	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	*	*	0.1	0.1	*	*	*	*	*	-	-	-	0.4
	4	-	-	*	0.1	0.2	0.1	*	*	*	*	*	-	-	-	0.6
	5	-	*	*	0.1	0.1	*	*	-	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	0.1	0.2	0.4	0.2	0.1	*	*	*	*	-	-	-	1.2
33	1-2	-	-	*	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	*	-	-	0.7
	4	-	*	0.2	0.4	0.8	0.5	0.2	0.1	*	*	*	*	-	-	2.2
	5	-	*	0.1	0.5	0.8	0.5	0.2	0.1	*	*	*	*	-	-	2.1
	6	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	-	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	*	0.4	1.1	1.8	1.2	0.5	0.2	0.1	*	*	-	-	-	5.3
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	*	*	*	*	0.1	0.1	*	*	*	*	*	-	-	0.4
	5	-	-	*	0.1	0.2	0.2	0.1	*	*	*	*	*	-	-	0.7
	6	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	-	-	0.5
	7	-	-	-	*	*	0.1	*	*	*	*	*	*	-	-	0.1
	TOTAL	-	*	0.1	0.2	0.4	0.6	0.3	0.1	*	*	-	-	-	-	1.7
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	-
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	-
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	-
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
24-54	1-7	-	*	0.2	1.3	1.7	0.9	0.2	0.1	*	*	-	-	-	-	4.4
25-35	1-7	-	-	*	0.1	0.2	0.1	*	*	-	-	-	-	-	-	0.3
81-85 1/	1-7	-	-	*	0.1	0.1	*	*	*	*	*	*	*	-	-	0.3
All Colors	8 2/	-	*	*	*	0.1	0.1	0.3	0.3	*	*	-	-	-	-	0.9
TOTAL, ALL		*	0.4	2.0	8.8	21.9	29.9	18.2	10.0	6.5	2.2	0.1	-	-	-	100.0
EXTRANEous MATTER																Average Staple 32.2 Percent Tenderable 12.1
Bark - Level 1		13.6														
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		0.2														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

86,590 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.1	0.5	0.8	0.3	0.1	-	-	-	-	1.7
	3	-	-	-	-	-	0.1	0.9	1.9	1.1	0.3	0.1	*	*	-	4.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	-	-	*	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	0.2	1.3	2.7	1.4	0.4	0.1	*	*	-	6.1
31	1-2	-	-	-	-	-	0.1	0.6	1.0	0.4	0.1	*	*	*	-	2.3
	3	-	-	-	-	-	0.6	6.7	19.1	13.2	4.1	1.1	0.1	*	*	45.1
	4	-	-	-	-	-	*	0.7	3.8	4.6	2.0	1.2	0.4	*	*	12.7
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	0.8	8.0	24.0	18.3	6.3	2.4	0.5	*	*	60.4
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	0.2	1.7	5.1	3.8	1.2	0.2	*	*	-	12.1
	4	-	-	-	-	-	*	0.7	4.1	5.6	2.5	1.3	0.4	*	*	14.7
	5	-	-	-	-	-	*	*	0.2	0.6	0.5	0.6	0.2	*	*	2.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	0.2	2.5	9.5	10.0	4.1	2.1	0.7	0.1	*	29.1
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.6
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	0.1	0.3	0.4	0.2	0.1	*	*	*	-	1.0
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	0.1	0.3	0.3	0.2	*	*	*	*	-	0.8
	4	-	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	-	1.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	0.1	0.5	0.8	0.6	0.2	*	*	*	-	2.1
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	0.1	0.2	0.2	*	*	*	*	*	-	0.5

* Less than 0.05 percent.

Table 11. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL	-	-	-	-	*	1.4	12.8	37.7	30.9	11.2	4.7	1.2	0.1	*	100.0	
EXTRANEOUS MATTER																Average Staple 34.6 Percent Tenderable 71.5
Bark - Level 1		1.0														
Bark - Level 2		=														
Grass - Level 1		0.4														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

1,028,260 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	COLOR	LEAF	STAPLE														TOTAL
			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	0.2	0.4	0.1	*	*	-	-	-	0.8
	3	-	-	-	-	*	*	0.1	0.7	1.7	1.0	0.2	*	*	*	*	3.7
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	*	*	0.1	0.9	2.2	1.2	0.3	*	*	*	*	4.8
31	1-2	-	-	-	-	*	*	0.1	0.5	0.7	0.2	*	*	-	-	-	1.6
	3	-	-	-	-	*	*	0.4	6.1	16.1	12.2	3.2	0.3	*	*	*	38.3
	4	-	-	-	-	*	*	0.1	1.5	6.2	7.7	3.2	0.5	*	*	*	19.3
	5	-	-	-	-	*	*	*	*	0.2	0.4	0.2	*	*	*	*	0.9
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	*	*	0.6	8.0	23.2	20.6	6.6	0.9	0.1	*	*	60.0
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	0.1	1.5	3.9	3.5	0.9	0.1	*	*	*	10.0
	4	-	-	-	-	*	*	0.1	1.1	4.8	7.1	3.1	0.6	0.1	*	*	16.8
	5	-	-	-	-	*	*	*	0.1	0.6	1.1	0.6	0.2	*	*	*	2.7
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	*	*	0.2	2.7	9.3	11.7	4.6	0.8	0.1	*	*	29.6
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	0.5
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	0.2	0.3	0.2	*	*	*	*	0.8
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.2	0.3	0.2	*	*	*	*	*	0.7
	4	-	-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	*	*	*	0.9
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	0.3	0.7	0.6	0.2	*	*	*	*	1.8
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.5
	4	-	-	-	-	*	*	*	0.2	0.5	0.5	0.2	*	*	*	*	1.4
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	0.3	0.8	0.8	0.3	*	*	*	*	2.3
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3

* Less than 0.05 percent.

Table 12. — Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	*	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	*	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	*	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	*	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL	-	-	-	*	*	*	1.0	12.7	36.8	35.3	12.1	1.9	0.2	*	*	100.0
EXTRANEous MATTER																Average Staple 34.5 Percent Tenderable 70.3
Bark - Level 1	0.9															
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

2,059,741 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent

Table 13. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.3	0.1	0.1	*	*	-	-	-	0.6
	3	-	-	-	-	*	0.5	2.4	2.4	1.0	0.2	*	-	-	-	6.5
	4	-	-	-	-	*	0.1	0.3	0.2	*	-	-	-	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	0.6	2.8	2.9	1.2	0.2	*	-	-	-	7.8
31	1-2	-	-	-	-	*	0.2	0.6	0.5	0.2	*	-	-	-	-	1.6
	3	-	-	-	-	*	0.1	1.7	11.6	18.5	12.1	3.6	*	-	-	47.6
	4	-	-	-	-	*	0.2	2.3	9.1	8.7	2.1	*	-	-	-	22.5
	5	-	-	-	-	*	*	*	0.2	0.3	0.1	-	-	-	-	0.6
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL	-	-	-	-	*	0.1	2.2	14.6	28.3	21.4	5.8	*	-	-	72.3
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.3	1.6	3.1	2.6	1.0	*	*	-	-	8.6
	4	-	-	-	-	*	0.1	0.7	2.8	3.0	1.1	*	*	-	-	7.8
	5	-	-	-	-	*	*	*	*	0.1	0.2	*	*	-	-	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	0.4	2.4	6.1	5.8	2.1	*	*	-	-	16.9
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.6
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	-	-	1.1
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	-	-	0.9
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 13. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE													
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL, ALL		-	-	-	-	-	0.2	3.3	20.5	38.3	29.2	8.4	0.1	-	100.0
EXTRANEous MATTER															Average Staple 35.2 Percent Tenderable 83.7
Bark - Level 1	0.2														
Bark - Level 2	-														
Grass - Level 1	*														
Grass - Level 2	-														
Prep - Level 1	0.2														
Prep - Level 2	-														
Other - Level 1	*														
Other - Level 1	-														

675,948 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. — New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	0.2	1.1	5.9	12.5	19.1	21.6	4.2	1.1	0.1	65.8
	3	-	-	-	-	*	-	0.3	1.1	1.4	1.6	3.2	2.3	1.4	0.4	11.6
	4	-	-	-	-	-	-	*	0.1	*	0.1	0.2	0.2	0.2	0.1	1.0
	5	-	-	-	-	-	-	-	*	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	0.2	1.3	7.1	14.0	20.8	25.0	6.7	2.7	0.6	78.5
31	1-2	-	-	-	-	0.1	0.1	0.2	1.2	3.4	2.9	1.4	0.3	0.1	*	9.8
	3	-	-	-	-	*	0.2	0.4	0.7	1.5	1.4	1.4	1.1	0.5	0.1	7.4
	4	-	-	-	-	*	0.1	0.1	0.1	0.1	0.1	0.3	0.5	0.3	0.1	1.6
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	0.1	0.4	0.8	1.9	5.1	4.5	3.2	1.9	0.9	0.2	18.9
41	1-2	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	0.8
	4	-	-	-	-	*	*	0.1	0.1	*	*	0.1	0.1	*	*	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	0.2	0.2	0.4	0.3	0.2	0.2	*	1.4
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	0.1	*	*	0.2
	3	-	-	-	-	*	*	*	*	*	*	*	0.1	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	0.1	*	*	0.4
32	1-2	-	-	-	-	*	*	*	*	*	*	*	0.1	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	0.1	*	*	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	0.1	*	*	0.5
42	1-2	-	-	-	-	*	*	*	*	*	*	*	0.1	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	0.1	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	0.1	*	*	0.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 14. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL		-	-	-	-	0.1	0.7	2.4	9.4	19.7	25.6	28.6	9.0	3.7	0.8	100.0
EXTRANEous MATTER																Average Staple 36.1 Percent Tenderable 87.8
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

43,981 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent

Table 15. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	0.7
31	1-2	-	-	-	-	*	*	*	0.2	0.3	0.2	*	*	*	-	0.8
	3	-	-	-	*	*	*	0.6	4.9	12.1	13.1	5.3	0.5	*	*	36.5
	4	-	-	-	*	*	*	0.1	0.9	3.3	4.1	2.0	0.3	*	*	10.5
	5	-	-	-	*	*	*	*	*	0.1	0.2	0.1	*	*	-	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	*	0.8	6.0	15.8	17.6	7.3	0.8	*	*	48.2
41	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.2
	3	-	-	-	*	*	*	0.5	4.3	11.1	10.6	3.5	0.3	*	*	30.3
	4	-	-	-	*	*	*	0.1	1.4	5.3	6.6	3.0	0.4	*	*	16.7
	5	-	-	-	*	*	*	*	0.1	0.4	0.5	0.2	*	*	-	1.3
	6	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	*	0.6	5.9	16.9	17.9	6.8	0.8	*	*	48.9
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	0.1	*	*	*	*	-	0.2
	4	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	-	0.5
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	0.1	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	4	-	-	-	-	*	*	*	*	0.2	0.1	*	*	*	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	*	0.1	0.4	0.3	0.1	*	*	*	-	0.9
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*

* Less than 0.05 percent.

Table 15. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	*	*	-	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL, ALL		-	-	-	*	*	1.5	12.3	33.8	36.4	14.4	1.6	*	*	*	100.0
EXTRANEOUS MATTER																Average Staple 34.5 Percent Tenderable 89.1
Bark - Level 1		1.3														
Bark - Level 2		-														
Grass - Level 1		0.8														
Grass - Level 2		-														
Prep - Level 1		0.9														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

1,007,303 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	0.1	0.3	1.1	3.0	7.7	12.7	13.3	6.9	0.3	*	-	45.4
	3	*	*	*	0.1	0.3	0.7	1.7	3.4	4.1	2.9	1.4	0.1	*	-	14.7
	4	-	*	*	*	0.1	0.1	0.2	0.4	0.4	0.2	*	*	-	-	1.4
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	*	*	*	0.2	0.6	1.9	4.9	11.5	17.2	16.4	8.4	0.4	*	-	61.6
31	1-2	-	*	*	*	0.2	0.5	0.8	1.2	1.7	1.6	0.8	*	*	-	6.9
	3	-	*	0.1	0.2	0.6	1.4	2.3	2.7	2.4	1.9	1.2	0.1	-	-	13.0
	4	*	*	*	0.2	0.5	0.9	1.2	1.2	0.8	0.4	0.1	*	*	-	5.4
	5	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	-	1.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	*	*	0.1	0.4	1.4	3.1	4.6	5.4	5.0	3.9	2.2	0.2	*	-	26.5
41	1-2	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	3	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	-	0.7
	4	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	1.1
	5	-	*	*	*	*	0.1	0.3	0.4	0.4	0.1	*	*	*	-	1.3
	6	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	0.4
	7	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	*	*	0.1	0.4	0.7	1.0	1.0	0.4	0.1	*	*	*	-	3.8
51	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	TOTAL	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.2
61	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	*	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	-	0.8
	3	*	*	*	*	*	0.1	0.2	0.3	0.5	0.4	0.2	*	*	-	1.7
	4	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	-	0.4
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	*	*	*	*	*	0.1	0.2	0.5	1.0	0.7	0.3	*	*	-	2.8
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	3	-	*	*	*	*	0.1	0.1	0.3	0.4	0.2	0.1	*	*	-	1.4
	4	-	*	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	-	1.0
	5	-	*	*	*	*	*	*	*	0.1	*	*	*	*	-	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	*	*	*	*	0.1	0.2	0.3	0.6	0.8	0.5	0.2	*	*	-
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	*	*	*	*	*	0.1	*	*	*	*	*	*	-	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	*	*	*	*	0.1	0.2	0.1	0.2	0.1	*	*	*	-	0.8
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	*	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1

* Less than 0.05 percent.

Table 16. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.6
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	-	-	-	-	*	-	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	82/	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL		*	*	0.2	0.9	2.9	6.7	12.2	20.3	24.3	21.1	10.7	0.6	*	*	100.0
EXTRANEOUS MATTER																Average Staple 34.6 Percent Tenderable 61.3
Bark - Level 1		4.4														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

205,588 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE															TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.	
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	-	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.4
31	1-2	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	-	-	-	0.6
	3	-	-	-	*	*	0.4	2.8	7.7	7.8	2.2	0.2	*	*	-	-	21.1
	4	-	-	-	*	*	*	0.6	2.4	3.4	1.6	0.2	*	*	-	-	8.3
	5	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	TOTAL	-	-	-	*	*	0.4	3.6	10.4	11.6	3.9	0.4	*	*	*	*	30.4
41	1-2	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	-	0.5
	3	-	-	-	*	*	*	0.9	5.6	13.8	11.3	3.0	0.3	*	*	-	34.8
	4	-	-	-	*	*	*	0.3	2.3	8.8	11.0	4.1	0.7	0.1	*	-	27.4
	5	-	-	-	*	*	*	0.1	0.6	1.0	0.4	0.1	*	*	-	-	2.3
	6	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	TOTAL	-	-	-	*	*	*	1.2	8.1	23.5	23.6	7.6	1.0	0.1	*	*	65.3
51	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.3	0.2	*	*	*	*	-	-	0.7
	4	-	-	-	*	*	*	0.1	0.3	0.5	0.3	0.1	*	*	-	-	1.3
	5	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	-	-	0.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	*	*	*	0.1	0.6	1.0	0.6	0.1	*	*	*	*	2.6
61	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	0.1	0.2	0.3	0.1	*	*	*	*	0.8
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2

* Less than 0.05 percent.

Table 17. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	COLOR	LEAF	STAPLE														TOTAL
			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4		-	-	-	-	-	*	*	-	-	-	-	-	-	*	*
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6		-	-	-	-	-	*	*	*	-	-	-	-	-	-	-
	7		-	-	-	-	-	*	*	*	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
33	1-2		-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7		-	-	-	-	*	*	*	*	*	*	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
43	1-2		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7		-	-	-	-	*	*	*	*	*	*	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
53	1-2		-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
63	1-2		-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	3		-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	*	*	*	*	-	-	-	-	-
24-54	1-7		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
25-35	1-7		-	-	-	-	-	-	*	-	-	-	-	-	-	-	-
81-85 1/	1-7		-	-	-	-	-	-	*	-	-	-	-	-	-	-	-
All Colors	8 2/		-	-	-	-	*	*	*	*	*	*	*	*	*	-	-
TOTAL, ALL			-	-	-	*	*	1.8	12.6	35.5	36.4	11.9	1.5	0.2	*	*	100.0
EXTRANEOUS MATTER																Average Staple	34.5
																Percent Tenderable	88.0
Bark - Level 1																	
Bark - Level 2																	
Grass - Level 1																	
Grass - Level 2																	
Prep - Level 1																	
Prep - Level 2																	
Other - Level 1																	
Other - Level 1																	

311,446 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.2	0.9	0.6	0.2	*	*	-	-	-	1.9
	3	-	-	-	-	-	0.3	2.6	4.0	1.8	0.6	0.1	-	-	-	9.2
	4	-	-	-	-	-	0.1	0.2	0.1	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	*	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	0.4	3.5	4.8	2.1	0.7	0.1	*	*	*	11.6
31	1-2	-	-	-	-	-	0.3	1.5	1.0	0.3	0.1	*	-	-	-	3.1
	3	-	-	-	-	-	1.3	12.4	22.2	13.2	4.4	0.6	*	-	-	54.1
	4	-	-	-	-	-	0.1	1.2	4.4	4.5	1.8	0.4	*	-	-	12.3
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	1.7	15.1	27.7	18.1	6.3	1.0	*	*	*	70.0
41	1-2	-	-	-	-	-	0.1	*	*	*	*	*	-	-	-	0.2
	3	-	-	-	-	-	0.4	2.2	3.4	1.8	0.6	0.1	*	-	-	8.6
	4	-	-	-	-	-	0.1	0.8	1.9	1.7	0.8	0.2	*	-	-	5.5
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	TOTAL	-	-	-	-	*	0.6	3.2	5.5	3.7	1.5	0.3	*	*	*	14.8
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	0.1	0.4	0.3	0.2	*	*	*	*	*	1.0
61	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	-	-	0.8
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	*	*	0.2	0.5	0.3	0.1	*	*	*	1.2
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	0.4
	4	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	*	0.9
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 18. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	*	-	-	-	-	-	-	-	-	-	*
	4	-	-	*	-	*	-	-	-	-	-	-	-	-	-	-
	5	-	-	*	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	*	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	*	-	*	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	-	*	-	-	-	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL		-	-	-	-	*	2.9	22.8	39.3	24.7	8.8	1.4	*	-	-	100.0
EXTRANEOUS MATTER															Average Staple	34.2
															Percent Tenderable	66.3
Bark - Level 1	0.9															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	0.2															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

853,768 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	26.6
	3	*	*	*	0.3	1.1	2.6	4.7	6.2	6.0	3.9	1.6	0.1	-	-	20.2
	4	-	*	*	*	*	0.1	0.2	0.3	0.4	0.4	0.3	0.2	-	*	1.8
	5	-	*	*	*	*	-	*	-	*	*	*	*	-	-	*
	6	-	*	*	*	*	-	*	*	*	*	*	*	-	-	*
	7	-	*	*	*	*	-	*	*	*	*	*	*	-	-	*
	TOTAL	*	*	0.1	0.5	1.8	4.5	8.0	10.9	10.7	7.7	4.2	0.4	*	*	48.7
31	1-2	*	*	*	0.1	0.3	0.7	1.2	1.4	1.1	0.6	0.2	-	-	-	5.7
	3	*	*	*	0.2	0.8	1.9	3.2	4.1	3.7	2.9	2.2	0.3	*	*	19.4
	4	-	*	*	0.1	0.3	0.7	1.0	1.2	1.1	1.0	1.0	0.2	*	*	6.6
	5	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.7
	6	-	*	*	*	*	-	*	*	*	*	*	*	-	-	*
	7	-	*	*	*	*	-	*	*	*	*	*	*	-	-	*
	TOTAL	*	*	0.1	0.4	1.4	3.4	5.5	6.8	6.2	4.6	3.5	0.6	*	*	32.4
41	1-2	-	-	*	*	*	-	0.1	0.1	0.1	*	*	*	-	-	0.3
	3	-	*	*	*	*	0.1	0.3	0.6	0.8	0.7	0.6	0.5	0.1	*	3.6
	4	-	*	*	*	*	-	0.2	0.3	0.5	0.6	0.7	0.7	0.2	*	3.1
	5	-	*	*	*	*	-	*	0.1	0.1	0.1	0.1	0.1	*	*	0.6
	6	-	*	*	*	*	-	*	*	*	*	*	*	*	*	0.1
	7	-	*	*	*	*	-	*	*	*	*	*	*	-	-	*
	TOTAL	-	*	*	*	*	0.2	0.6	1.1	1.4	1.5	1.4	1.3	0.3	*	*
51	1-2	-	-	*	*	*	-	-	-	-	*	*	*	-	-	*
	3	-	-	*	*	*	-	*	*	*	0.1	*	*	*	*	0.2
	4	-	-	*	*	*	-	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	*	*	*	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	-	0.1	0.1	0.2	0.1	0.1	*	*	*	0.7
61	1-2	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	-	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	-	0.1	0.1	0.2	0.1	0.1	*	*	*	*
71	1-2	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
12 & 22	1-2	*	*	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	*	*	*	1.1
	3	-	*	*	*	*	0.1	0.2	0.3	0.3	0.3	0.2	0.1	*	*	1.6
	4	-	*	*	*	*	-	*	*	*	*	*	*	*	*	0.3
	5	-	*	*	*	*	-	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	-	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	-	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	0.1	0.2	0.4	0.6	0.6	0.5	0.3	0.2	*	*	2.9
32	1-2	*	*	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.2	*	*	0.3
	3	*	*	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.2	*	*	1.7
	4	-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.2	*	*	1.1
	5	-	*	*	*	*	*	-	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	-	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	-	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	*	*	0.1	0.3	0.5	0.6	0.5	0.3	0.4	0.1	*
42	1-2	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	-	*	*	*	*	*	*	*	*	0.8
	4	-	*	*	*	*	-	*	*	*	*	*	*	*	*	1.1
	5	-	*	*	*	*	-	*	*	*	*	*	*	*	*	0.3
	6	-	*	*	*	*	-	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	0.1	0.2	0.3	0.4	0.4	0.3	0.4	0.1	*
52	1-2	-	-	*	*	*	-	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	-	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	-	*	*	*	*	*	*	*	*	0.2
	5	-	*	*	*	*	-	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	-	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*

* Less than 0.05 percent.

Table 19. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL		-	*	0.2	1.1	4.1	9.7	16.5	21.0	20.2	15.1	10.4	1.6	0.1	-	100.0
EXTRANEous MATTER																Average Staple 34.3 Percent Tenderable 61.7
Bark - Level 1		4.2														
Bark - Level 2		*														
Grass - Level 1		1.4														
Grass - Level 2		*														
Prep - Level 1		0.4														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

4,230,935 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	-	0.5
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	0.6
31	1-2	-	-	-	-	-	*	*	0.1	1.7	7.2	11.2	13.6	4.5	0.1	*
	3	-	-	-	-	-	*	*	0.4	3.1	5.8	4.9	2.0	*	-	38.3
	4	-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	*	-	16.3
	5	-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	*	-	0.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	0.1	2.1	10.5	17.5	18.7	6.5	0.2	*	-	55.6
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	0.8	4.4	8.0	8.1	2.8	0.1	-	24.2
	4	-	-	-	-	-	*	*	0.6	3.3	6.4	4.8	1.8	*	-	16.8
	5	-	-	-	-	-	*	*	0.1	0.3	0.7	0.3	0.1	*	-	1.4
	6	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	11.1	1.5	8.0	15.1	13.2	4.6	0.1	-	42.6
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	3	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	-	0.4
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	-	0.4
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*

* Less than 0.05 percent.

Table 20. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
2003 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	-
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL	-	-	-	-	*	0.2	3.7	18.9	33.3	32.5	11.3	0.3	*	-	-	100.0
EXTRANEous MATTER															Average Staple	35.3
															Percent Tenderable	88.9
Bark - Level 1	0.9															
Bark - Level 2	-															
Grass - Level 1	0.6															
Grass - Level 2	-															
Prep - Level 1	0.9															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

106,413 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 21.—Extraneous matter by specified ~~amounts~~ of upland cotton classed in the United States, by states, 2003 crop.

State	Extraneous matter															
	Preparation		Bark		Grass		Seed		Oil		Spindle Twist		Other		Total	
	level 1	level 2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
Alabama	4,507	0	19,722	63	1,542	8	2	0	0	0	0	2	0	26,776	71	
Arizona	28	0	32,681	70	2,409	68	1,132	19	5	0	0	269	1	36,824	168	
Arkansas	1,947	2	4,560	0	2,191	0	91	0	5	0	0	11	0	8,806	2	
California	3,463	10	11,378	1	4,540	13	671	0	4	0	267	0	285	0	20,608	24
Florida	1,345	1	1,677	2	76	0	0	0	0	0	0	0	0	0	3,098	3
Georgia	32,076	7	25,772	128	1,857	0	3	0	0	0	24	0	11	0	60,743	136
Kansas	192	0	11,753	0	19	0	15	0	0	0	0	0	0	0	11,979	0
Louisiana	356	0	9,899	34	4,316	16	12	0	0	0	6	0	8	0	14,587	80
Mississippi	1,627	0	19,480	2	3,581	10	34	0	49	0	1	0	14	0	24,786	12
Missouri	1,674	0	1,084	0	158	0	4	0	5	0	0	0	0	0	2,926	0
New Mexico	5	0	127	0	79	0	5	0	1	0	0	0	6	0	223	0
North Carolina	9,192	0	13,291	0	7,581	0	0	0	5	0	0	0	7	0	30,078	0
Oklahoma	211	0	9,036	1	303	1	0	0	0	0	0	0	0	0	9,560	2
South Carolina	3,892	0	5,481	0	1,730	1	0	0	0	0	0	2	0	0	11,106	1
Tennessee	1,606	0	7,934	0	770	0	1	0	7	0	0	0	1	0	10,318	0
Texas	16,177	250	176,521	90	58,838	1,178	1,522	6	39	2	41	1	132	0	283,270	1,627
Virginia	979	0	913	0	676	0	0	0	0	0	0	0	0	0	2,868	0
United States	79,277	270	351,309	391	90,666	1,295	3,492	25	120	2	339	1	748	1	525,951	1,985

Table 22. -- Tenderability of upland cotton classed, by states, 2003 crop

State	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	691,582	86.5	108,381	13.5
Arizona	310,188	61.0	198,498	39.0
Arkansas	1,313,233	75.7	420,552	24.3
California	1,328,360	90.1	145,567	9.9
Florida	106,356	87.0	15,871	13.0
Georgia	1,773,385	86.9	268,009	13.1
Kansas	10,514	12.1	76,076	87.9
Louisiana	735,474	71.5	292,786	28.5
Mississippi	1,448,015	70.3	611,726	29.7
Missouri	566,101	83.7	109,847	16.3
New Mexico	38,611	87.8	5,370	12.2
North Carolina	897,333	89.1	109,970	10.9
Oklahoma	126,095	61.3	79,493	38.7
South Carolina	274,129	88.0	37,317	12.0
Tennessee	566,043	66.3	287,725	33.7
Texas	2,611,371	61.7	1,619,564	38.3
Virginia	94,585	88.9	11,828	11.1
United States	12,891,375	74.6	4,398,580	25.4

1/ Tenderable with respect to color, leaf, staple and mike in settlement of New York No. 2 futures contracts.

Table 23. -- Tenderability of upland cotton classed, in the United States, 1984-2003 crops.

Year	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
1984	5,414,575	43.6	7,004,174	56.4
1985	7,252,955	56.5	5,584,133	43.5
1986	4,073,446	44.1	5,163,393	55.9
1987	8,588,694	61.0	5,494,696	39.0
1988	8,743,021	60.5	5,719,472	39.5
1989	6,889,963	62.9	4,067,843	37.1
1990	8,034,460	55.5	6,443,058	44.5
1991	9,576,743	58.2	6,867,923	41.8
1992	10,082,486	67.4	4,881,090	32.6
1993	9,262,901	61.7	5,747,395	38.3
1994	11,968,375	64.7	6,541,523	35.3
1995	10,492,168	62.6	6,259,089	37.4
1996	11,469,168	64.9	6,199,753	35.1
1997	12,042,873	68.5	5,532,967	31.5
1998	7,351,983	56.5	5,659,801	43.5
1999	9,631,731	61.1	6,141,513	38.9
2000	10,462,481	64.0	5,885,322	36.0
2001	12,167,594	63.9	6,871,481	36.1
2002	8,350,453	52.0	7,702,475	48.0
2003	12,891,375	74.6	4,398,580	25.4

1/ 1983-84, New York No. 2; 1985, New York No. 2 and Chicago; 1986-2003 New York No. 2.

Table 24. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2003 crop.

Color	Leaf	ABILENE			BIRMINGHAM			CORPUS CHRISTI		DUMAS		
		Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
11 & 21	1-2	0.9	45.4	18.2	21.7	0.2	*	0.2	5.2	0.3	0.9	0.7
	3	9.3	14.7	18.1	16.9	1.6	0.3	1.5	18.2	2.5	4.0	3.6
	4	4.8	1.4	1.8	1.9	0.4	*	0.4	1.6	0.2	0.3	0.3
	5	0.7	0.1	0.1	0.1	*	-	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-
Total	----	15.8	61.6	38.2	40.6	2.3	0.3	2.1	25.0	3.0	5.2	4.6
31	1-2	0.1	6.9	7.2	6.7	0.9	1.4	0.9	2.3	1.2	1.7	1.6
	3	7.5	13.0	21.1	18.7	30.1	34.2	30.5	25.7	40.6	37.9	38.6
	4	18.3	5.4	7.4	7.8	21.2	8.2	20.1	9.6	19.8	19.3	19.4
	5	15.7	1.1	1.1	2.1	1.6	0.1	1.4	0.6	0.6	1.0	0.9
	6	2.0	0.1	*	0.2	0.1	*	0.1	*	*	*	*
	7	0.1	*	*	*	*	*	*	*	-	-	-
Total	----	43.7	26.5	36.8	35.5	53.8	43.9	53.0	38.2	62.2	59.9	60.5
41	1-2	*	0.3	0.7	0.6	0.2	1.0	0.3	0.4	0.1	0.1	0.1
	3	0.3	0.7	4.2	3.3	18.1	37.3	19.8	9.0	12.2	9.5	10.2
	4	1.7	1.1	3.1	2.6	17.0	15.7	16.9	8.4	18.0	16.7	17.1
	5	5.5	1.3	1.1	1.5	2.6	0.2	2.4	1.2	1.8	2.8	2.5
	6	3.7	0.4	0.1	0.4	0.3	*	0.3	0.1	*	*	*
	7	1.0	*	*	0.1	*	-	*	*	-	*	*
Total	----	12.2	3.8	9.2	8.5	38.2	54.2	39.6	19.2	32.3	29.2	30.0
51	1-2	-	*	*	*	*	*	*	*	*	*	*
	3	*	*	0.1	0.1	0.5	0.2	0.5	0.8	0.1	0.1	0.1
	4	*	*	0.1	0.1	0.9	0.4	0.9	1.1	0.3	0.4	0.4
	5	*	0.1	0.1	0.1	0.3	*	0.3	0.2	0.1	0.2	0.2
	6	*	0.1	*	*	*	*	*	0.1	*	*	*
	7	0.1	0.1	*	*	*	*	*	*	-	-	-
Total	----	0.1	0.2	0.3	0.3	1.7	0.6	1.6	2.2	0.6	0.7	0.7
61	1-2	-	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	-	-	-
Total	----	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	*	*	*	-	-	-	-	-	-	-
	3	*	-	*	*	-	-	-	-	-	-	-
	4	*	-	*	*	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	-	-	-	-
12 & 22	1-2	*	0.8	0.7	0.7	*	*	*	0.2	*	*	*
	3	1.2	1.7	2.5	2.3	*	*	*	1.2	*	0.1	0.1
	4	1.1	0.4	0.5	0.5	*	*	*	0.2	*	*	*
	5	0.2	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-
Total	----	2.5	2.8	3.7	3.5	*	*	*	1.6	*	0.1	0.1
32	1-2	*	0.2	0.4	0.3	*	*	*	0.1	*	*	*
	3	1.2	1.4	3.1	2.7	0.3	*	0.3	2.1	0.3	0.8	0.7
	4	3.2	1.0	2.2	2.0	0.3	*	0.3	1.6	0.3	1.0	0.8
	5	3.1	0.3	0.4	0.6	*	*	*	0.1	*	0.1	0.1
	6	0.5	*	*	0.1	*	*	*	*	*	*	*
	7	0.1	*	*	*	-	-	-	-	-	-	-
Total	----	8.0	2.8	6.1	5.6	0.7	0.1	0.6	3.9	0.6	1.9	1.6
42	1-2	-	*	0.1	0.1	*	*	*	*	*	*	*
	3	0.1	0.1	1.2	1.0	1.0	0.3	1.0	1.9	0.2	0.5	0.4
	4	0.7	0.3	1.8	1.4	1.0	0.3	1.0	2.7	0.6	1.4	1.2
	5	1.4	0.3	0.8	0.7	0.1	*	0.1	0.3	0.1	0.4	0.3
	6	0.9	0.1	0.1	0.1	*	*	*	*	*	*	*
	7	0.3	*	*	*	*	*	*	*	-	-	-
Total	----	3.3	0.8	4.0	3.4	2.2	0.6	2.1	5.0	0.9	2.3	2.0
52	1-2	-	*	*	*	*	-	*	*	-	*	*
	3	*	*	0.1	0.1	0.3	0.1	0.3	0.4	*	*	*
	4	*	*	0.1	0.1	0.3	0.1	0.3	0.8	0.2	0.2	0.2
	5	*	*	0.1	0.1	*	*	*	0.2	0.1	0.1	0.1
	6	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	-	-	-
Total	----	0.1	0.1	0.3	0.2	0.6	0.1	0.6	1.4	0.2	0.3	0.3

Table 24. — Continued.

		ABILENE				BIRMINGHAM			CORPUS CHRISTI		DUMAS		
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total 1/	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	
62	1-2	-	-	-	*	-	-	-	-	-	-	-	-
	3	*	-	*	*	*	-	*	*	*	*	*	*
	4	*	-	*	*	*	*	*	*	*	*	*	*
	5	*	-	*	*	*	-	*	*	*	*	*	*
	6	-	-	-	-	*	-	*	*	-	*	*	*
	7	-	-	-	-	-	-	-	*	-	-	-	-
	---	*	*	*	*	*	*	*	0.1	*	*	*	*
	Total	1-2	*	0.1	0.1	0.1	-	-	*	-	-	-	-
13 & 23	1-2	0.4	0.2	0.2	0.2	*	-	*	0.1	-	*	*	*
	3	0.6	*	*	0.1	*	-	*	*	-	-	-	-
	4	0.2	*	*	*	*	-	*	*	-	-	-	-
	5	*	-	*	*	-	-	*	*	-	-	-	-
	6	*	-	*	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	---	1.2	0.4	0.3	0.4	*	-	*	0.1	-	*	*	*
	Total	1-2	*	0.1	*	*	*	*	*	-	*	*	*
33	1-2	0.7	0.3	0.3	0.3	*	*	*	0.3	*	*	*	*
	3	2.2	0.1	0.2	0.3	*	*	*	0.2	*	*	*	*
	4	2.1	0.1	0.1	0.2	*	-	*	*	*	*	*	*
	5	0.2	*	*	*	*	-	*	*	*	*	*	*
	6	*	*	*	*	*	-	*	*	*	*	*	*
	7	*	*	*	*	-	-	-	-	-	-	-	-
	---	5.3	0.6	0.5	0.9	0.1	*	0.1	0.5	*	*	0.1	0.1
	Total	1-2	*	0.1	*	*	*	*	*	-	*	*	*
43	1-2	-	*	*	*	*	-	*	*	*	*	*	*
	3	*	*	0.1	0.1	0.1	*	*	0.1	0.5	*	0.1	0.1
	4	0.4	0.1	0.1	0.1	0.1	*	*	0.1	0.6	*	0.1	0.1
	5	0.7	0.1	0.1	0.1	*	-	*	*	0.1	*	*	*
	6	0.5	*	*	*	*	-	*	*	*	*	*	*
	7	0.1	*	*	*	*	-	*	*	*	*	*	*
	---	1.7	0.2	0.3	0.4	0.2	*	0.2	1.3	0.1	0.2	0.2	0.2
	Total	1-2	*	*	*	*	*	*	*	-	*	*	*
53	1-2	-	*	*	*	*	-	*	*	-	*	*	*
	3	*	*	*	*	*	0.1	*	0.1	0.1	*	*	*
	4	*	*	*	*	*	0.1	*	0.1	0.5	*	*	*
	5	*	*	*	*	*	*	*	*	0.2	*	*	*
	6	*	*	*	*	*	-	*	*	*	*	*	*
	7	*	*	*	*	*	-	*	*	*	*	*	*
	---	0.1	0.1	0.1	0.1	0.1	*	0.1	0.8	*	0.1	0.1	0.1
	Total	1-2	*	*	*	*	*	*	*	-	*	*	*
63	1-2	-	*	*	*	*	-	*	*	-	*	*	*
	3	-	-	*	*	*	-	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*
	5	*	-	*	*	*	*	-	*	*	*	*	*
	6	-	*	-	*	*	-	-	*	*	-	-	-
	7	-	-	-	-	*	-	-	*	*	-	-	-
	---	*	*	*	*	*	*	*	*	0.1	*	*	*
	Total	1-2	*	*	*	*	*	*	*	-	*	*	*
24 - 54	1-7	4.4	0.1	0.1	0.4	*	*	*	*	*	*	*	*
25 - 35	1-7	0.3	-	*	*	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	0.3	*	*	*	*	-	*	*	*	*	*	*
All Colors	8 2/	0.9	*	*	0.1	*	*	*	*	*	*	*	*
STAPLE													
28 & shorter		0.4	*	*	*	-	-	-	-	-	-	-	-
29		2.0	0.2	0.1	0.3	-	-	-	*	-	-	-	-
30		8.8	0.9	1.1	1.6	*	*	*	*	*	*	*	*
31		21.9	2.9	4.2	5.3	0.1	*	0.1	1.2	*	*	*	*
32		29.9	6.7	11.6	12.1	2.4	0.9	2.2	3.6	0.1	0.7	0.6	
33		18.2	12.2	21.5	19.6	17.6	12.5	17.1	8.6	4.7	11.8	10.0	
34		10.0	20.3	26.3	24.1	38.1	46.5	38.8	14.7	23.1	36.9	33.3	
35		6.5	24.3	21.6	21.0	30.6	34.6	30.9	20.1	46.0	36.1	38.7	
36		2.2	21.1	10.3	11.6	9.8	5.4	9.4	22.3	22.2	12.3	14.9	
37		0.1	10.7	3.0	4.1	1.4	0.1	1.3	24.2	3.7	1.9	2.3	
38 & longer		-	0.6	0.2	0.3	0.1	-	0.1	5.0	0.2	0.2	0.2	
All Staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Average staple		32.2	34.6	33.9	33.9	34.3	34.3	34.3	35.4	35.0	34.5	34.7	
Total Classed		86,590	205,588	886,082	#####	799,963	76,783	876,746	1,174,075	622,771	1,797,723	2,420,494	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 25. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2003 crop.

		FLORENCE				LAMESA		LUBBOCK		MACON	
Color	Leaf	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total	
11 & 21	1-2	0.1	*	*	0.1	33.7	44.5	*	0.1	0.1	
	3	0.6	0.3	0.5	0.5	19.2	23.7	1.0	1.1	1.1	
	4	*	0.1	0.1	0.1	1.7	2.1	0.2	0.1	0.1	
	5	*	*	*	*	*	0.1	-	*	*	
	6	-	-	-	-	*	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	
	Total	0.7	0.4	0.6	0.6	54.5	70.4	1.2	1.3	1.3	
31	1-2	0.8	0.6	0.3	0.7	9.5	5.6	0.2	0.5	0.5	
	3	36.5	21.1	38.3	33.2	19.0	13.8	19.0	24.2	24.0	
	4	10.5	8.3	16.3	10.4	6.7	4.0	5.1	6.0	6.0	
	5	0.4	0.5	0.8	0.5	0.8	0.4	0.1	0.1	0.1	
	6	*	*	*	*	*	*	-	-	-	
	7	*	*	*	*	*	*	-	-	-	
	Total	48.2	30.4	55.6	44.9	36.0	23.8	24.4	30.8	30.6	
41	1-2	0.2	0.5	0.1	0.3	0.3	0.1	0.1	0.3	0.3	
	3	30.3	34.8	24.2	30.9	0.8	0.3	38.4	36.3	36.4	
	4	16.7	27.4	16.8	19.1	0.6	0.2	16.6	22.4	22.3	
	5	1.3	2.3	1.4	1.5	0.2	0.1	0.3	0.6	0.6	
	6	0.3	0.3	0.1	0.2	0.1	*	*	*	*	
	7	*	*	*	*	*	*	-	*	*	
	Total	48.9	65.3	42.6	52.0	2.0	0.6	55.4	59.7	59.6	
51	1-2	*	*	-	*	*	*	*	*	*	
	3	0.2	0.7	*	0.3	*	*	8.3	1.5	1.7	
	4	0.2	1.3	*	0.4	*	*	6.5	2.1	2.2	
	5	0.1	0.5	*	0.1	*	*	0.1	0.2	0.2	
	6	*	0.1	-	*	*	*	-	*	*	
	7	*	*	*	*	*	*	-	*	*	
	Total	0.5	2.6	0.1	0.9	*	*	15.0	3.8	4.0	
61	1-2	-	-	-	-	*	*	-	-	-	
	3	*	*	-	*	*	*	*	*	*	
	4	*	*	-	*	*	*	*	*	*	
	5	*	*	-	*	*	*	-	*	*	
	6	*	*	-	*	*	*	-	*	*	
	7	*	*	-	*	*	*	-	*	*	
	Total	*	*	-	*	*	*	*	*	*	
71	1-2	-	-	-	-	*	*	-	-	-	
	3	-	-	-	-	*	*	-	*	*	
	4	-	-	-	*	*	*	-	*	*	
	5	-	-	-	*	*	*	-	*	*	
	6	-	-	-	*	*	*	-	*	*	
	7	-	-	-	*	*	*	-	*	*	
	Total	*	*	-	*	*	*	*	*	*	
12 & 22	1-2	*	*	*	*	1.6	1.8	-	*	*	
	3	*	*	*	*	1.9	1.2	-	*	*	
	4	*	*	*	*	0.3	0.2	-	*	*	
	5	*	*	*	*	*	*	-	*	*	
	6	-	-	-	*	*	*	-	*	*	
	7	-	-	-	*	*	*	-	*	*	
	Total	*	*	*	*	3.7	3.1	-	*	*	
32	1-2	*	*	*	*	0.3	0.3	-	*	*	
	3	0.3	0.1	0.2	0.2	1.3	0.7	0.1	0.3	0.3	
	4	0.2	0.1	0.2	0.2	0.7	0.3	*	0.2	0.2	
	5	*	*	*	*	0.1	*	*	*	*	
	6	*	*	*	*	*	*	-	*	*	
	7	*	*	-	*	*	*	-	*	*	
	Total	0.6	0.2	0.4	0.5	2.3	1.4	0.2	0.4	0.4	
42	1-2	*	*	-	*	*	*	*	*	*	
	3	0.4	0.2	0.1	0.3	0.1	*	0.7	1.1	1.1	
	4	0.4	0.4	0.2	0.4	0.1	*	0.9	1.7	1.7	
	5	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	
	6	*	*	*	*	*	*	-	*	*	
	7	*	*	-	*	*	*	-	*	*	
	Total	0.9	0.8	0.4	0.9	0.3	0.1	1.7	2.9	2.9	
52	1-2	*	*	-	*	*	*	-	*	*	
	3	*	0.1	*	*	*	*	0.6	0.2	0.2	
	4	*	0.1	*	*	*	*	1.3	0.6	0.7	
	5	*	*	*	*	*	*	0.1	0.1	0.1	
	6	*	*	*	*	*	*	-	*	*	
	7	*	*	-	*	*	*	-	*	*	
	Total	*	0.2	*	0.1	*	*	1.9	0.9	1.0	

Table 25. -- Continued.

		FLORENCE				LAMESA		LUBBOCK		MACON	
Color	Leaf	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total	
62	1-2	-	-	-	-	-	-	-	-	-	
	3	*	*	-	*	-	*	*	*	*	
	4	*	*	-	*	*	-	0.1	*	*	
	5	*	-	-	*	-	-	-	*	*	
	6	*	-	-	*	-	-	-	*	*	
	7	-	-	-	*	-	-	-	*	*	
	Total	---	*	*	*	*	*	0.1	*	*	
13 & 23	1-2	*	*	-	*	0.2	0.2	-	*	*	
	3	*	*	*	*	0.3	0.1	-	*	*	
	4	*	*	*	*	*	*	-	*	*	
	5	*	*	*	*	*	*	-	*	*	
	6	-	-	-	*	-	*	-	-	-	
	7	-	-	-	*	-	-	-	-	-	
	Total	---	*	*	*	0.6	0.3	-	*	*	
33	1-2	*	*	*	*	*	0.1	-	*	*	
	3	*	*	0.1	*	0.2	0.1	*	*	*	
	4	*	*	*	*	0.1	*	*	*	*	
	5	*	*	*	*	*	*	-	*	*	
	6	*	*	*	*	*	*	-	*	*	
	7	*	-	-	*	*	*	-	-	-	
	Total	---	0.1	*	0.1	0.1	0.4	0.2	*	*	
43	1-2	*	*	*	*	*	*	*	*	*	
	3	*	*	*	*	*	*	*	*	*	
	4	*	*	*	*	*	*	*	*	*	
	5	*	*	*	*	*	*	*	*	*	
	6	*	*	*	*	*	*	-	*	*	
	7	*	-	-	*	*	*	-	-	-	
	Total	---	0.1	0.1	0.1	0.1	0.1	*	*	0.1	
53	1-2	-	*	-	*	*	*	-	-	-	
	3	*	*	*	*	*	*	*	*	*	
	4	*	*	*	*	*	*	*	*	*	
	5	*	*	-	*	-	*	*	*	*	
	6	*	-	-	*	-	*	-	*	*	
	7	*	-	-	*	-	*	-	-	-	
	Total	---	*	*	*	*	*	*	*	0.1	0.1
63	1-2	-	-	-	-	-	-	-	-	-	
	3	*	-	-	*	-	-	*	*	*	
	4	-	-	-	-	*	-	0.1	*	*	
	5	-	-	-	-	-	*	-	*	*	
	6	-	-	-	-	-	-	-	*	*	
	7	-	-	-	-	-	-	-	-	-	
	Total	---	*	-	*	*	*	*	*	*	
24 - 54	1-7	*	*	*	*	0.1	*	*	*	*	
	25 - 35	1-7	-	-	-	*	-	*	-	*	
81 - 85 1/	1-7	*	-	*	*	*	*	-	*	*	
	All Colors	8 2/	*	*	-	*	*	-	*	*	
STAPLE		-	-	-	-	*	*	-	-	-	
28 & shorter		-	-	-	-	*	*	-	-	-	
29		-	-	-	-	0.2	0.4	-	-	-	
30		*	*	-	*	1.1	1.8	-	*	*	
31		*	0.1	*	*	4.1	6.2	*	0.1	0.1	
32		1.5	1.8	0.2	1.4	10.2	13.2	1.2	3.0	2.9	
33		12.3	12.6	3.7	11.7	18.3	19.1	16.7	19.3	19.2	
34		33.8	35.5	18.9	33.0	22.6	22.3	48.2	41.5	41.7	
35		36.4	36.4	33.3	36.2	20.8	19.0	29.0	28.6	28.6	
36		14.4	11.9	32.5	15.2	14.5	12.4	4.9	5.9	5.9	
37		1.6	1.5	11.3	2.3	7.2	5.3	*	1.3	1.3	
38 & longer		*	0.2	0.3	0.1	1.0	0.3	-	0.3	0.3	
All Staples		99.9	100.0	100.0	100.0	100.0	100.0	99.9	100.0	100.0	
Average staple		34.5	34.5	35.3	34.6	34.2	33.9	34.2	34.2	34.2	
Total Classed		1,007,303	311,446	106,413	1,425,162	646,480	1,506,089	45,444	2,041,394	2,086,838	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 26. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2003 crop.

MEMPHIS							PHOENIX				
Color	Leaf	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
11 & 21	1-2	0.2	0.6	0.1	1.9	0.8	31.4	42.1	65.8	75.4	36.3
	3	3.3	6.5	2.4	9.2	5.8	7.9	9.8	11.6	1.8	8.2
	4	0.3	0.7	0.3	0.4	0.4	0.2	0.1	1.0	-	0.3
	5	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
Total	---	3.9	7.8	2.8	11.6	7.1	39.6	52.0	78.5	77.3	44.9
31	1-2	1.0	1.6	0.3	3.1	1.7	19.9	25.5	9.8	17.9	19.9
	3	46.2	47.6	42.2	54.1	48.6	19.0	9.6	7.4	2.5	16.6
	4	17.6	22.5	19.6	12.3	17.3	2.1	2.1	1.6	0.2	2.0
	5	0.4	0.6	0.6	0.5	0.5	0.1	*	0.1	*	0.1
	6	*	*	*	*	*	*	*	*	-	*
	7	*	*	-	*	*	*	-	-	-	*
Total	---	65.1	72.3	62.7	70.0	68.1	41.2	37.3	18.9	20.6	38.7
41	1-2	0.1	0.1	*	0.2	0.1	2.2	4.3	0.2	0.5	2.3
	3	13.2	8.6	13.0	8.6	10.7	5.5	1.9	0.8	0.8	4.6
	4	13.0	7.8	15.4	5.5	9.7	1.7	0.6	0.4	0.1	1.4
	5	0.8	0.5	2.0	0.5	0.7	0.4	*	0.1	*	0.4
	6	*	*	0.1	*	*	*	-	*	-	*
	7	*	*	*	*	*	*	-	-	-	*
Total	---	27.1	16.9	30.6	14.8	21.2	9.9	6.8	1.4	1.4	8.7
51	1-2	*	*	-	*	*	*	0.1	*	-	*
	3	0.3	0.1	0.2	0.2	0.2	0.1	*	-	-	0.1
	4	0.5	0.2	1.0	0.6	0.5	*	*	*	-	*
	5	0.1	0.1	0.5	0.2	0.1	*	-	-	-	*
	6	*	*	0.1	*	*	*	*	*	-	*
	7	*	*	*	*	*	*	*	-	-	*
Total	---	0.9	0.4	1.8	1.0	0.8	0.2	0.1	*	-	0.2
61	1-2	-	-	-	*	*	*	*	-	-	*
	3	*	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	-	-	-	-	*
	5	*	*	*	*	*	-	-	-	-	*
	6	*	*	*	*	*	-	-	-	-	*
	7	*	*	*	*	*	-	-	-	-	*
Total	---	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	*	*	-	-	-	-	*
	3	*	-	-	*	*	-	-	-	-	*
	4	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	*	*	-	-	-	-	*
Total	---	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	*	*	*	*	*	0.8	0.4	0.2	0.2	0.7
	3	*	0.1	*	0.1	0.1	0.8	0.5	0.1	0.2	0.7
	4	*	*	*	*	*	0.1	0.1	*	-	0.1
	5	-	*	-	*	*	*	-	-	-	*
	6	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	*	*	-	-	-	-	*
Total	---	*	0.1	*	0.1	0.1	1.6	1.0	0.4	0.4	1.4
32	1-2	*	*	*	*	*	0.3	0.2	0.1	0.1	0.3
	3	0.6	0.6	0.2	0.8	0.6	1.4	0.9	0.3	0.2	1.2
	4	0.4	0.4	0.4	0.3	0.4	1.0	0.9	0.1	*	0.9
	5	*	*	*	*	*	0.1	0.1	*	-	0.1
	6	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	-	-	-	*
Total	---	1.0	1.1	0.6	1.2	1.0	2.8	2.0	0.5	0.3	2.5
42	1-2	*	*	-	*	*	0.1	*	*	-	0.1
	3	0.6	0.4	0.2	0.4	0.5	0.7	0.2	0.2	*	0.5
	4	0.7	0.4	0.7	0.4	0.6	1.5	0.3	*	*	1.2
	5	0.1	*	0.2	0.1	0.1	0.9	*	*	-	0.7
	6	*	*	*	*	*	0.1	*	*	-	0.1
	7	*	*	*	*	*	*	-	-	-	*
Total	---	1.4	0.9	1.0	0.9	1.1	3.2	0.6	0.3	*	2.6
52	1-2	*	*	*	*	*	*	*	-	-	*
	3	0.1	*	*	*	*	0.1	*	-	-	*
	4	0.1	*	*	*	*	0.1	*	*	-	0.1
	5	*	*	*	*	*	0.1	-	*	-	0.1
	6	*	*	*	*	*	*	-	-	-	*
	7	*	*	*	*	*	*	-	-	-	*
Total	---	0.2	0.1	0.1	0.1	0.2	0.3	*	*	-	0.2

Table 26. -- Continued.

MEMPHIS

PHOENIX

Color	Leaf	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total 1/	Arizona	California	New Mexico	Texas	Classing Office Total
62	1-2	-	-	-	-	*	-	-	-	-	-
	3	*	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	*	-	-	-	*
	5	*	*	*	*	*	*	-	-	-	*
	6	*	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	*
Total	13 & 23	---	*	*	*	*	*	*	*	*	*
	1-2	-	-	-	*	*	*	-	*	*	*
	3	*	*	*	*	*	*	*	*	*	0.1
	4	*	*	*	*	*	*	*	-	-	*
	5	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*
Total	33	---	*	*	*	*	*	*	*	0.1	*
	1-2	*	*	-	*	*	*	*	*	*	*
	3	0.1	0.1	*	0.1	0.1	0.1	*	*	*	0.1
	4	*	0.1	*	*	*	0.1	0.1	0.1	-	0.1
	5	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
Total	43	---	0.1	0.2	0.1	0.1	0.1	0.2	0.1	*	0.2
	1-2	*	*	-	*	*	*	*	*	-	*
	3	0.1	0.1	*	0.1	0.1	0.1	*	*	-	*
	4	0.1	0.1	0.1	*	0.1	0.3	*	-	-	0.2
	5	*	*	*	*	*	0.3	*	-	-	0.3
	6	-	*	-	-	*	0.1	-	-	-	*
	7	-	*	-	-	*	*	-	-	-	*
Total	53	---	0.2	0.2	0.1	0.1	0.2	0.8	*	-	0.6
	1-2	*	*	-	-	*	*	-	-	-	*
	3	*	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	*	-	-	-	*
	5	*	*	*	*	*	*	-	-	-	*
	6	*	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	*
Total	63	---	0.1	*	*	*	*	0.1	-	-	0.1
	1-2	-	-	-	-	-	-	-	-	-	*
	3	*	-	*	*	*	*	-	-	-	*
	4	*	*	-	-	*	*	-	-	-	*
	5	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	*
Total	24 - 54	---	*	*	*	*	*	*	-	-	*
	1-7	*	*	*	*	*	*	*	-	-	*
	25 - 35	1-7	-	-	-	-	-	-	-	-	-
	81 - 85 1/	1-7	*	*	*	*	*	*	-	-	*
All Colors	8 2/	*	*	*	*	*	*	*	-	-	*
STAPLE											
28 & shorter	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-
30	-	-	*	-	*	*	*	-	-	-	*
31	*	-	*	*	*	*	0.1	0.1	0.1	-	0.1
32	0.4	0.2	2.9	2.9	1.3	0.9	0.8	0.7	0.1	0.9	
33	7.1	3.3	17.9	22.8	11.7	4.3	4.0	2.4	1.7	4.1	
34	34.4	20.5	36.0	39.3	32.7	14.2	20.1	9.4	16.1	14.7	
35	40.0	38.3	29.9	24.7	34.3	31.2	36.1	19.7	35.5	31.2	
36	15.5	29.2	11.6	8.8	16.5	31.6	31.5	25.6	31.0	31.2	
37	2.6	8.4	1.8	1.4	3.6	15.7	7.3	28.6	13.2	15.4	
38 & longer	*	0.1	-	*	*	2.0	0.1	13.5	2.4	2.5	
All Staples	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple	34.7	35.2	34.3	34.2	34.6	35.4	35.2	36.1	35.5	35.4	
Total Classed	1,103,476	675,948	191,601	853,768	2,824,793	508,686	86,595	43,981	18,209	657,471	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 27. — Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2003 crop.

		RAYVILLE				VISALIA	
Color	Leaf	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
11 & 21	1-2	0.3	1.7	0.1	1.6	47.8	12.6
	3	0.6	4.3	1.0	4.0	27.3	9.6
	4	-	0.1	0.1	0.1	1.4	0.8
	5	-	-	-	-	-	-
	6	-	-	-	-	-	-
	7	-	-	-	-	-	-
	----	0.9	6.1	1.2	5.7	76.5	22.9
31	1-2	0.4	2.3	0.6	2.2	4.0	3.3
	3	32.5	45.1	38.4	44.6	10.4	29.9
	4	12.1	12.7	16.8	13.0	3.0	11.1
	5	0.1	0.4	0.2	0.4	0.3	0.6
	6	-	*	*	*	*	*
	7	-	*	*	*	*	*
	----	45.1	60.4	56.0	60.0	17.8	45.0
41	1-2	*	0.1	*	0.1	0.2	0.3
	3	13.2	12.1	13.4	12.2	1.0	13.1
	4	26.5	14.7	21.1	15.2	0.9	11.0
	5	1.6	2.1	1.5	2.0	0.3	1.1
	6	-	0.1	*	0.1	*	0.1
	7	-	*	-	*	*	*
	----	41.2	29.1	36.0	29.7	2.4	25.7
51	1-2	-	*	-	*	*	*
	3	0.1	0.1	0.1	0.1	0.1	0.4
	4	0.3	0.3	0.3	0.3	0.2	0.6
	5	0.1	0.1	0.1	0.1	0.1	0.1
	6	-	*	-	*	*	*
	7	-	*	-	*	*	*
	----	0.4	0.5	0.5	0.5	0.5	1.1
61	1-2	-	-	-	-	*	*
	3	-	*	-	*	*	*
	4	-	*	-	*	*	*
	5	-	*	-	*	*	*
	6	-	*	-	*	*	*
	7	-	*	-	*	*	*
	----	-	*	-	*	*	*
71	1-2	-	-	-	-	-	*
	3	-	*	-	*	*	*
	4	-	*	-	*	*	*
	5	-	*	-	*	*	*
	6	-	*	-	*	*	*
	7	-	*	-	*	*	*
	----	-	*	-	*	*	*
12 & 22	1-2	-	*	*	*	0.3	0.3
	3	*	*	*	*	0.4	0.5
	4	-	*	*	*	0.1	0.1
	5	-	-	-	-	*	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	-
	----	-	*	-	*	*	*
32	1-2	*	*	0.1	*	0.8	0.9
	3	2.1	0.6	0.4	0.6	0.5	0.8
	4	1.6	0.4	0.8	0.4	0.3	0.6
	5	-	*	0.1	*	0.1	0.1
	6	-	*	*	*	*	*
	7	-	-	-	-	*	*
	----	3.7	1.0	1.3	1.0	1.0	1.6
42	1-2	-	*	-	*	*	*
	3	1.6	0.8	0.7	0.8	0.2	0.6
	4	4.8	1.1	2.6	1.2	0.1	0.9
	5	1.3	0.2	0.7	0.2	0.1	0.2
	6	-	*	*	*	*	*
	7	-	*	-	*	*	*
	----	7.6	2.1	4.0	2.3	0.4	1.8
52	1-2	-	*	-	*	*	*
	3	-	0.1	*	0.1	*	0.1
	4	0.2	0.3	0.3	0.3	*	0.2
	5	0.2	0.1	0.1	0.1	*	0.1
	6	*	*	*	*	*	*
	7	-	*	-	*	*	*
	----	0.4	0.5	0.5	0.5	0.1	0.4

Table 27. — Continued.

		RAYVILLE				VISALIA	
Color	Leaf	Arkansas	Louisiana	Mississippi	Classing Office Total 1/	California	UNITED STATES
62	1-2	-	-	-	-	-	*
	3	*	*	-	*	*	*
	4	-	*	-	*	*	*
	5	-	*	-	*	*	*
	6	-	*	-	*	*	*
	7	-	*	-	*	*	*
	-----	*	*	-	*	*	*
13 & 23	1-2	-	*	-	*	*	*
	3	-	*	-	*	*	*
	4	-	*	-	*	*	*
	5	-	-	-	-	*	*
	6	-	-	-	-	*	*
	7	-	-	-	-	-	-
	-----	-	*	-	*	0.1	0.1
33	1-2	-	*	-	*	*	*
	3	*	*	*	*	0.1	0.1
	4	*	*	*	*	*	*
	5	-	*	-	*	*	*
	6	-	-	-	*	*	*
	7	-	-	-	-	*	*
	-----	*	0.1	*	0.1	0.2	0.2
43	1-2	-	*	-	*	*	*
	3	0.2	0.1	*	0.1	*	0.1
	4	0.2	0.1	0.2	0.1	*	0.1
	5	*	*	*	*	*	*
	6	-	-	*	*	*	*
	7	-	-	-	-	*	*
	-----	0.4	0.1	0.3	0.1	0.1	0.2
53	1-2	-	*	-	*	*	*
	3	-	*	*	*	*	*
	4	*	*	0.1	*	*	*
	5	0.1	*	*	*	*	*
	6	-	*	*	*	*	*
	7	-	-	-	-	*	*
	-----	0.1	0.1	0.1	0.1	*	0.1
63	1-2	-	-	-	-	*	*
	3	-	*	-	*	*	*
	4	-	*	*	*	*	*
	5	-	*	*	*	*	*
	6	-	-	-	-	*	*
	7	-	-	-	-	*	*
	-----	-	*	*	*	*	*
Total	24 - 54	1-7	*	*	*	*	0.1
	25 - 35	1-7	-	-	-	-	*
	81 - 85 1/	1-7	-	*	*	*	*
	All Colors	8 2/	-	-	*	*	*
	STAPLE						*
	28 & shorter	-	-	-	-	-	*
	29	-	-	-	-	-	*
	30	-	-	-	-	*	0.3
	31	-	*	*	*	*	1.1
	32	1.8	1.4	3.5	1.5	*	3.5
	33	17.6	12.8	20.9	13.3	0.3	12.7
	34	28.7	37.7	36.4	37.5	1.1	28.3
	35	39.5	30.9	28.9	30.8	4.7	27.9
	36	11.9	11.2	8.7	11.0	18.2	14.5
	37	0.4	4.7	1.4	4.5	36.6	7.8
	38 & longer	-	1.3	0.1	1.3	39.1	3.8
All Staples		100.0	100.0	100.0	100.0	100.0	99.9
Average staple		34.4	34.6	34.2	34.5	37.1	34.7
Total Classed		7,538	1,028,260	70,417	1,106,215	1,387,332	17,175,465

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 28. — Percentage distribution of mike and strength for upland cotton classed, by classing office, 2003 crop.

Mike and Fiber Strength	ABILENE				BIRMINGHAM			CORPUS CHRISTI		DUMAS	
	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
MIKE											
24 & below	3.2	0.4	0.1	0.4	*	-	*	-	-	*	*
25	2.4	0.3	0.1	0.3	*	-	*	*	-	*	*
26	2.5	0.4	0.1	0.3	0.1	*	0.1	*	*	*	*
27	2.9	0.4	0.2	0.4	0.1	*	0.1	*	*	*	*
28	3.4	0.4	0.2	0.5	0.2	*	0.1	*	*	*	*
29	4.1	0.4	0.3	0.6	0.2	*	0.2	*	*	*	*
30	5.0	0.6	0.4	0.8	0.3	*	0.3	*	*	*	*
31	5.5	0.6	0.5	0.9	0.4	0.1	0.4	*	*	*	*
32	5.4	0.7	0.8	1.1	0.5	0.1	0.5	*	*	0.1	*
33	5.3	0.8	1.1	1.4	0.6	0.2	0.6	0.1	*	0.1	0.1
34	5.3	0.9	1.4	1.6	0.8	0.2	0.7	0.1	*	0.1	0.1
35	4.9	1.1	1.8	1.9	1.2	0.7	1.1	0.3	0.1	0.2	0.2
36	4.5	1.3	2.3	2.3	1.7	1.0	1.7	0.6	0.2	0.3	0.3
37	4.3	1.6	2.7	2.6	2.7	1.5	2.6	1.0	0.2	0.5	0.4
38	3.9	1.8	3.2	3.0	3.7	2.3	3.5	1.6	0.4	0.7	0.6
39	3.8	2.3	3.6	3.4	4.9	3.0	4.8	2.4	0.6	1.0	0.9
40	3.5	2.8	3.9	3.7	6.5	4.7	6.4	3.3	0.9	1.5	1.3
41	3.1	3.8	4.5	4.3	8.0	6.5	7.9	4.7	1.3	2.1	1.9
42	3.2	4.9	5.1	4.9	9.5	8.1	9.4	6.8	2.0	3.0	2.7
43	3.0	6.0	5.6	5.5	10.5	9.4	10.4	8.7	3.3	4.1	3.9
44	3.5	7.0	6.1	6.1	11.0	9.6	10.9	9.9	5.4	5.7	5.6
45	3.5	7.8	6.8	6.7	10.6	10.1	10.5	10.4	7.6	7.5	7.5
46	3.0	8.4	7.5	7.3	9.5	10.8	9.6	10.8	10.0	10.0	10.0
47	2.8	8.2	7.9	7.6	7.3	10.3	7.6	10.6	12.7	12.3	12.4
48	2.7	7.7	7.7	7.4	5.0	8.5	5.3	9.5	14.3	13.2	13.5
49	2.0	7.7	7.0	6.8	2.9	6.0	3.2	7.7	13.4	12.2	12.5
50	1.3	6.5	6.3	5.9	1.2	3.6	1.4	5.3	10.8	9.5	9.8
51	0.9	4.9	5.1	4.7	0.5	2.2	0.7	3.1	7.7	7.0	7.2
52	0.8	3.6	3.6	3.4	0.2	0.9	0.2	1.7	4.8	4.7	4.7
53	0.3	2.6	2.1	2.1	*	0.2	*	0.8	2.4	2.4	2.4
54	0.1	1.9	1.1	1.2	*	*	*	0.5	1.2	1.2	1.2
55	-	1.2	0.5	0.6	*	-	*	0.2	0.4	0.4	0.4
56	-	0.5	0.2	0.2	-	-	-	0.1	0.1	0.2	0.1
57	*	0.1	0.1	0.1	-	-	-	*	*	*	*
58	-	*	*	*	-	-	-	*	*	*	*
59	-	-	*	*	-	-	-	*	*	*	*
60 & above	-	-	-	-	-	-	-	-	-	-	-
Average mike	36	46	45	44	43	44	43	45	48	47	47
Fiber Strength 1/											
17 & below	-	-	-	-	-	-	-	-	-	-	-
18	*	-	*	*	-	-	-	-	-	-	-
19	*	*	*	*	-	-	-	*	-	-	-
20	*	*	*	*	-	-	-	*	-	-	-
21	0.2	*	*	0.1	*	-	*	*	*	*	*
22	0.5	0.1	0.2	0.2	*	*	*	*	*	*	*
23	1.3	0.2	0.8	0.8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
24	4.3	0.6	2.5	2.3	0.8	0.6	0.7	0.5	0.6	0.6	0.6
25	10.8	1.8	5.8	5.4	3.1	2.6	3.0	1.6	2.9	2.9	2.9
26	18.6	5.0	9.7	9.5	9.9	10.5	9.9	3.3	9.1	8.6	8.7
27	21.2	12.0	15.5	15.3	21.3	25.5	21.7	6.0	19.6	18.1	18.5
28	17.5	19.4	21.0	20.5	26.4	30.7	26.8	8.4	25.7	26.5	26.3
29	11.8	21.0	19.7	19.4	19.7	20.1	19.7	10.2	22.3	22.7	22.6
30	7.7	17.2	13.3	13.6	11.3	7.5	11.0	12.6	11.2	12.1	11.8
31	4.3	11.3	7.1	7.6	5.1	1.9	4.8	16.6	4.9	5.2	5.1
32	1.5	6.6	2.9	3.5	1.8	0.4	1.7	19.5	2.0	2.1	2.1
33	0.2	3.3	1.0	1.4	0.5	0.1	0.4	14.0	0.8	0.7	0.7
34	*	1.2	0.3	0.4	0.1	*	0.1	5.6	0.5	0.3	0.3
35	*	0.2	*	0.1	*	*	*	1.4	0.2	0.1	0.1
36 & above	-	0.1	-	-	-	-	-	0.2	0.2	*	0.1
Average Strength	27.3	29.1	28.2	28.3	28.1	27.9	28.1	30.6	28.3	28.3	28.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 29. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2003 crop.

Mike and Fiber Strength	FLORENCE				LAMESA LUBBOCK		MACON		
	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total
MIKE									
24 & below	*	*	*	*	*	0.1	-	*	*
25	*	*	*	*	0.1	0.1	-	*	*
26	*	0.1	*	*	0.1	0.1	*	*	*
27	*	0.2	0.1	0.1	0.1	0.2	*	*	-
28	0.1	0.2	0.1	0.1	0.3	0.4	0.1	*	*
29	0.1	0.3	0.2	0.1	0.4	0.5	0.1	-	-
30	0.2	0.4	0.4	0.2	0.6	0.8	0.2	0.1	0.1
31	0.2	0.5	0.5	0.3	0.8	1.0	0.5	0.1	0.1
32	0.4	0.6	0.9	0.5	1.1	1.3	0.6	0.1	0.2
33	0.6	1.0	1.6	0.8	1.3	1.6	1.3	0.3	0.3
34	1.0	1.4	2.4	1.2	1.6	1.9	1.5	0.4	0.4
35	1.6	2.3	3.5	1.9	2.1	2.2	1.4	0.6	0.6
36	2.5	3.3	5.1	2.9	2.5	2.5	2.0	0.9	0.9
37	4.0	4.4	7.0	4.3	2.7	3.0	2.2	1.5	1.5
38	5.9	6.1	9.3	6.2	3.0	3.4	3.6	2.4	2.4
39	8.3	8.2	11.0	8.5	3.3	4.0	5.4	3.6	3.6
40	10.8	10.4	11.1	10.7	3.9	4.6	6.4	5.5	5.5
41	12.9	11.9	11.1	12.5	4.4	4.8	8.0	8.0	8.0
42	13.3	13.0	10.6	13.0	5.0	5.2	9.1	11.0	11.0
43	12.2	12.3	9.3	12.0	5.6	5.6	9.0	13.9	13.8
44	9.8	9.9	6.8	9.5	6.1	6.1	10.2	15.0	14.8
45	6.9	6.6	4.4	6.7	6.8	6.3	10.2	13.4	13.4
46	4.5	3.6	2.6	4.2	7.3	6.5	11.9	10.1	10.2
47	2.5	1.9	1.3	2.3	7.7	6.6	9.2	6.5	6.6
48	1.3	0.9	0.5	1.2	8.2	6.7	4.3	3.7	3.7
49	0.6	0.3	0.2	0.5	7.5	6.5	1.6	1.8	1.8
50	0.2	0.1	*	0.1	6.3	5.8	0.8	0.7	0.7
51	0.1	*	*	0.1	4.7	4.7	0.3	0.3	0.3
52	*	*	-	*	3.3	3.5	0.1	0.1	0.1
53	*	*	*	*	1.8	2.2	*	*	*
54	*	*	-	*	0.9	1.2	-	*	*
55	*	*	-	*	0.3	0.5	*	*	*
56	*	*	-	*	0.1	0.2	-	*	*
57	-	-	-	-	*	0.1	-	-	-
58	-	-	-	-	*	*	-	*	*
59	-	-	-	-	*	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-
Average mike	41	41	40	41	44	44	43	43	43
Fiber Strength 1/									
17 & below	-	-	-	-	*	-	-	-	-
18	-	-	-	-	-	*	-	-	-
19	-	-	-	-	-	*	-	-	-
20	*	-	-	*	*	-	*	*	*
21	*	*	*	*	*	*	*	*	*
22	*	*	*	*	*	*	*	*	*
23	0.1	0.2	0.1	0.2	0.1	*	0.1	0.1	0.1
24	1.3	1.1	1.0	1.3	0.5	0.2	1.4	1.2	1.2
25	5.8	3.8	4.1	5.3	1.7	1.0	6.9	4.3	4.3
26	14.9	9.5	10.5	13.4	4.8	3.8	13.5	11.5	11.6
27	24.2	19.8	20.3	22.9	11.5	11.1	24.2	23.2	23.2
28	23.6	26.1	25.0	24.3	19.6	20.8	28.3	27.8	27.8
29	15.6	20.7	19.0	17.0	22.6	25.2	14.8	18.4	18.3
30	8.1	10.7	10.1	8.8	18.8	20.0	7.8	8.8	8.8
31	3.8	5.1	5.2	4.2	11.4	11.5	2.4	3.3	3.3
32	1.6	2.2	2.8	1.8	5.6	4.7	0.7	1.1	1.1
33	0.6	0.6	1.4	0.7	2.2	1.4	0.1	0.3	0.3
34	0.1	0.2	0.4	0.2	0.7	0.3	*	0.1	0.1
35	*	*	0.1	*	0.2	*	*	*	*
36 & above	*	*	*	*	0.1	-	-	*	*
Average Strength	27.8	28.1	28.2	27.9	29.1	29.0	27.6	27.9	27.9

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 30. — Percentage distribution of mike and strength for upland cotton classed, by classing office, 2003 crop.

Mike and Fiber Strength	MEMPHIS					PHOENIX				
	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
MIKE										
24 & below	*	*	*	*	*	*	-	*	-	*
25	*	*	*	*	*	*	-	*	-	*
26	*	*	0.1	0.1	*	*	-	*	*	*
27	*	*	0.1	0.1	0.1	*	-	0.1	*	*
28	0.1	0.1	0.1	0.2	0.1	*	*	*	0.1	*
29	0.1	0.1	0.2	0.2	0.1	0.1	*	0.1	0.1	0.1
30	0.1	0.2	0.3	0.3	0.2	0.1	0.1	0.1	0.2	0.1
31	0.2	0.2	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.2
32	0.2	0.3	0.6	0.4	0.3	0.2	0.1	0.4	0.1	0.2
33	0.3	0.5	0.7	0.6	0.5	0.3	0.2	0.9	0.2	0.3
34	0.5	0.6	1.0	0.7	0.6	0.4	0.3	1.3	0.3	0.4
35	0.7	0.9	1.6	0.9	0.9	0.6	0.4	2.0	0.3	0.6
36	1.2	1.4	2.2	1.2	1.3	0.7	0.5	2.4	0.3	0.8
37	1.6	1.9	2.7	1.4	1.7	0.9	0.7	2.9	0.6	1.0
38	2.2	2.6	3.4	1.8	2.3	1.2	0.7	4.3	0.5	1.3
39	3.0	3.7	4.4	2.3	3.0	1.6	1.0	5.5	0.5	1.7
40	3.9	4.8	5.4	2.9	3.9	2.1	1.6	6.8	0.5	2.3
41	4.8	6.0	6.5	3.6	4.8	2.8	1.7	8.0	0.9	2.9
42	5.7	7.3	7.7	4.3	5.8	3.7	2.7	9.9	2.2	3.9
43	7.0	8.4	8.8	5.2	6.9	4.9	4.2	10.2	4.1	5.1
44	8.2	9.0	8.8	6.1	7.8	5.9	5.5	8.9	5.0	6.0
45	8.9	9.4	8.7	7.0	8.4	7.2	7.3	8.4	6.4	7.2
46	9.5	9.1	8.1	7.9	8.9	8.4	9.4	7.8	10.4	8.5
47	9.3	8.7	8.0	8.5	8.8	9.4	10.5	6.5	13.3	9.4
48	8.6	7.3	7.0	9.0	8.3	10.1	10.5	4.9	14.5	10.0
49	7.7	6.0	5.5	8.7	7.4	9.9	11.4	3.8	14.5	9.8
50	6.1	4.5	3.6	8.0	6.1	9.2	10.0	2.3	11.0	8.9
51	4.5	3.1	2.0	7.0	4.7	7.7	9.4	1.2	7.5	7.5
52	2.9	2.0	1.0	5.5	3.3	5.6	6.4	0.5	3.8	5.3
53	1.5	1.1	0.4	3.4	1.9	3.5	3.6	0.3	1.6	3.3
54	0.6	0.5	0.2	1.5	0.9	1.9	1.1	0.1	0.6	1.7
55	0.3	0.2	0.2	0.6	0.4	0.9	0.5	0.1	0.4	0.8
56	0.1	0.1	*	0.1	0.1	0.3	0.1	-	*	0.3
57	*	*	*	*	*	0.1	-	-	-	0.1
58	*	*	*	*	*	*	-	-	-	*
59	*	-	*	-	*	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
Average mike	45	44	44	46	45	47	47	43	47	47
Fiber Strength 1/										
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	*	-	-	-	*
20	-	-	-	*	*	*	-	-	-	*
21	*	*	-	*	*	*	*	*	-	*
22	*	*	*	*	*	0.1	*	0.1	*	0.1
23	0.1	0.1	0.2	0.2	0.1	0.4	0.1	0.6	*	0.4
24	0.5	0.4	1.2	1.1	0.7	1.0	0.3	1.7	0.1	1.0
25	2.6	2.2	5.1	4.8	3.4	2.9	2.4	2.6	0.9	2.8
26	8.7	7.3	14.0	15.2	10.7	6.7	4.6	3.8	3.0	6.1
27	20.2	15.4	23.7	28.2	21.7	12.4	8.9	8.5	11.2	11.6
28	31.5	23.9	25.0	25.8	27.5	17.5	14.6	16.1	25.1	17.2
29	22.9	24.0	16.7	14.2	20.1	20.2	21.2	20.7	29.1	20.6
30	9.1	15.3	8.2	6.3	9.7	18.0	20.1	17.3	20.6	18.3
31	2.9	7.7	3.5	2.6	4.0	11.5	16.0	11.9	7.5	12.0
32	1.0	2.8	1.5	1.1	1.5	5.6	8.5	9.2	1.9	6.1
33	0.4	0.7	0.6	0.3	0.4	2.4	2.6	4.7	0.4	2.5
34	0.1	0.2	0.2	0.1	0.2	0.9	0.5	2.0	0.1	0.9
35	*	0.1	0.1	*	*	0.3	0.1	0.6	*	0.3
36 & above	*	*	*	*	*	0.1	*	0.1	*	0.1
Average Strength	28.1	28.6	27.8	27.6	28.0	28.9	29.3	29.3	28.8	29.0

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 31. — Percentage distribution of mike and strength for upland cotton classed, by classing office, 2003 crop.

Mike and Fiber Strength	RAYVILLE				VISALIA	
	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
MIKE						
24 & below	-	-	-	-	*	*
25	-	-	-	-	*	*
26	-	*	-	*	*	*
27	*	*	-	*	*	0.1
28	-	*	-	*	0.1	0.1
29	-	*	*	*	0.1	0.1
30	-	*	*	*	0.2	0.2
31	-	*	*	*	0.4	0.3
32	0.1	*	*	*	0.8	0.4
33	*	*	*	*	1.4	0.6
34	*	*	*	*	2.1	0.8
35	0.2	0.1	0.1	0.1	3.1	1.1
36	*	0.2	0.1	0.2	4.4	1.6
37	0.2	0.3	0.2	0.3	6.1	2.1
38	0.2	0.4	0.3	0.4	7.8	2.9
39	0.5	0.5	0.4	0.5	9.4	3.7
40	0.6	0.8	0.8	0.8	10.5	4.7
41	0.2	1.2	1.5	1.2	10.5	5.7
42	1.3	1.8	2.3	1.8	9.8	6.7
43	1.8	2.8	3.3	2.8	8.8	7.6
44	3.9	4.4	5.0	4.5	7.4	8.2
45	5.3	7.0	7.3	7.0	5.7	8.3
46	9.0	10.9	9.9	10.8	4.3	8.4
47	14.7	14.9	13.0	14.7	3.0	8.2
48	16.9	16.4	15.1	16.3	2.1	7.7
49	15.3	14.7	13.9	14.6	1.3	6.7
50	13.1	10.8	10.7	10.8	0.5	5.1
51	10.5	6.6	7.4	6.7	0.2	3.7
52	3.9	3.5	4.6	3.6	0.1	2.4
53	2.1	1.7	2.5	1.8	*	1.4
54	0.1	0.7	0.9	0.7	*	0.7
55	*	0.4	0.3	0.4	*	0.3
56	-	0.1	0.1	0.1	*	0.1
57	-	*	*	*	-	*
58	-	*	-	*	-	*
59	-	-	-	-	-	*
60 & above	-	-	-	-	-	-
Average mike	48	48	48	48	41	44.5
Fiber Strength 1/						
17 & below	-	-	-	-	-	*
18	-	-	-	-	-	*
19	-	-	-	-	-	*
20	-	-	-	-	-	*
21	-	*	-	*	-	*
22	-	*	*	*	*	*
23	-	0.1	0.3	0.1	*	0.1
24	0.2	0.5	1.5	0.6	*	0.8
25	2.2	2.2	4.7	2.3	0.1	2.9
26	18.1	7.6	10.3	7.8	0.2	8.1
27	25.0	18.3	18.5	18.4	0.6	16.4
28	26.2	26.6	23.3	26.4	1.3	21.9
29	20.0	21.8	20.8	21.7	2.5	18.5
30	6.3	11.5	12.0	11.5	5.8	11.7
31	1.6	5.2	5.1	5.2	13.3	7.3
32	0.4	2.9	2.1	2.8	19.8	5.1
33	*	1.9	0.9	1.8	24.0	3.7
34	-	1.0	0.3	0.9	19.5	2.2
35	*	0.3	0.1	0.3	9.0	0.9
36 & above	-	0.1	-	0.1	3.9	0.3
Average Strength	27.7	28.5	28.2	28.5	32.6	28.8

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 32. — Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2003 Crop

Mike Groupings, Uniformity and Trash	ABILENE				BIRMINGHAM			CORPUS CHRISTI		DUMAS		
	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	
MIKE												
24 & below	3.2	0.4	0.1	0.4	*	-	*	-	-	*	-	*
25 - 26	4.9	0.7	0.2	0.7	0.1	-	0.1	-	-	-	-	-
27 - 29	10.3	1.3	0.7	1.5	0.5	-	0.4	-	-	-	-	-
30 - 32	15.9	1.9	1.7	2.8	1.2	0.2	1.1	-	-	0.1	-	-
33 - 34	10.6	1.7	2.5	3.0	1.4	0.4	1.3	0.2	-	0.2	0.2	0.2
35 - 36	9.4	2.5	4.1	4.2	2.9	1.7	2.8	0.9	0.2	0.6	0.5	0.5
37 - 42	21.8	17.2	23.0	21.9	35.2	26.1	34.4	19.8	5.5	8.7	7.9	7.9
43 - 49	20.5	52.9	48.7	47.4	56.7	64.6	57.4	67.4	66.8	65.0	65.4	65.4
50 - 52	3.0	15.0	14.9	14.0	1.9	6.7	2.3	10.1	23.2	21.1	21.7	21.7
53 & above	0.4	6.4	4.0	4.2	-	0.2	-	1.6	4.1	4.2	4.2	4.2
Average mike	36	46	45	44	43	44	43	45	48	47	47	47
Mike 35 - 49	51.7	72.5	75.8	73.4	94.9	92.4	94.7	88.1	72.5	74.2	73.8	73.8
Uniformity 1/												
72 & below												
73	-	-	-	-	-	-	-	-	-	-	-	-
74	*	-	*	*	-	-	-	-	-	-	-	-
75	0.1	*	*	*	-	-	-	-	-	-	-	-
76	0.2	0.2	*	0.1	*	*	*	*	-	-	-	-
77	1.3	0.7	0.4	0.5	0.1	0.1	0.1	0.1	*	*	*	*
78	7.5	2.9	3.2	3.5	1.1	1.4	1.1	0.6	*	0.1	0.1	0.1
79	24.4	10.2	13.5	13.7	5.6	8.1	5.8	3.6	1.4	2.2	2.0	2.0
80	38.0	24.0	30.6	30.0	17.9	26.1	18.6	11.7	8.7	12.2	11.3	11.3
81	22.8	33.1	32.6	31.9	32.0	39.2	32.6	28.0	27.8	27.6	27.7	27.7
82	5.2	21.8	16.0	16.3	30.6	21.2	29.8	35.6	39.6	37.7	38.2	38.2
83	0.6	6.3	3.4	3.7	11.5	3.7	10.8	17.7	19.6	17.7	18.2	18.2
84	*	0.6	0.3	0.3	1.2	0.2	1.1	2.6	2.9	2.4	2.5	2.5
85	-	*	*	*	*	*	*	0.1	*	*	*	*
86	-	-	-	-	-	-	-	*	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average uniformity	79.9	80.8	80.5	80.5	81.2	80.8	81.2	81.6	81.8	81.6	81.7	81.7
Trash 2/												
00	*	0.1	*	0.1	-	-	-	*	-	*	*	*
01	0.3	31.1	14.4	16.3	0.1	0.2	0.1	3.1	0.2	0.5	0.4	0.4
02	4.6	34.2	31.8	30.3	3.7	5.8	3.9	19.8	4.7	7.3	6.7	6.7
03	11.6	16.4	23.8	21.6	14.4	22.6	15.1	26.9	18.3	20.7	20.1	20.1
04	12.6	6.8	11.6	10.8	23.0	32.3	23.8	18.8	24.2	22.5	22.9	22.9
05	16.0	4.4	7.4	7.5	21.4	22.1	21.4	11.5	19.8	17.0	17.7	17.7
06	15.1	2.6	4.5	4.9	15.1	10.3	14.7	8.2	16.6	14.5	15.1	15.1
07	13.2	1.7	2.6	3.2	9.6	4.2	9.1	4.2	7.6	7.3	7.4	7.4
08	8.3	0.9	1.5	1.9	5.6	1.5	5.2	2.7	4.4	4.8	4.7	4.7
09	5.8	0.6	0.9	1.2	3.1	0.5	2.9	1.8	2.2	2.8	2.6	2.6
10	3.6	0.4	0.5	0.7	1.8	0.2	1.6	1.0	1.0	1.3	1.3	1.3
11	2.5	0.2	0.3	0.5	0.8	0.1	0.8	0.6	0.4	0.6	0.5	0.5
12	1.8	0.2	0.2	0.3	0.5	*	0.5	0.4	0.2	0.3	0.3	0.3
13	1.2	0.1	0.1	0.2	0.4	*	0.3	0.3	0.1	0.2	0.2	0.2
14	1.0	0.1	0.1	0.2	0.2	*	0.2	0.2	*	*	*	*
15	0.8	0.1	0.1	0.1	0.1	*	0.1	0.2	*	*	*	*
16	0.3	*	*	*	0.1	*	0.1	0.1	*	*	*	*
17	0.3	*	*	*	0.1	*	*	0.1	*	*	*	*
18 & above	1.0	0.1	0.1	0.1	0.1	*	0.1	0.2	*	*	*	*
Average trash	0.63	0.25	0.31	0.33	0.53	0.43	0.52	0.41	0.49	0.48	0.48	0.48

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 33. — Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office,
#REF!

	FLORENCE			LAMESA	LUBBOCK	MACON			
Mike Groupings, Uniformity and Trash	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total
24 & below	*	*	*	*	*	0.1	-	*	*
25 - 26	-	0.1	-	-	0.2	0.2	-	-	-
27 - 29	0.1	0.6	0.3	0.3	0.8	1.1	0.1	-	-
30 - 32	0.7	1.5	1.8	1.0	2.4	3.0	1.2	0.3	0.3
33 - 34	1.6	2.4	4.0	1.9	2.9	3.5	2.9	0.6	0.7
35 - 36	4.1	5.5	8.6	4.8	4.6	4.7	3.4	1.5	1.6
37 - 42	55.2	54.0	60.2	55.3	22.3	25.0	34.6	32.0	32.0
43 - 49	37.9	35.6	25.1	36.5	49.3	44.3	56.5	64.5	64.3
50 - 52	0.3	0.1	-	0.2	14.3	14.0	1.2	1.0	1.0
53 & above	-	-	-	-	3.1	4.1	-	-	-
Average mike	36	46	45	44	43	43	45	0	48
Mike 35 - 49	97.2	95.2	93.8	96.5	76.1	74.1	94.5	98.0	97.9
Uniformity 1/ 72 & below	-	-	-	-	-	-	-	57.0	2824793.0
73	-	-	-	-	-	-	94.0	4.0	1710.0
74	-	-	-	-	-	2.0	113.0	-	-
75	-	-	-	-	-	38.0	2399.0	921.0	509.0
76	31.0	4.0	-	35.0	-	328.0	1018.0	-	-
77	890.0	89.0	-	979.0	-	3609.0	54.0	17.0	1864.0
78	8540.0	1044.0	-	9584.0	-	28179.0	-	9.0	2.0
79	44803.0	6253.0	-	51056.0	-	119185.0	-	-	99.0
80	143430.0	20021.0	-	163451.0	-	271454.0	3584.0	-	-
81	255713.0	30099.0	-	285812.0	-	288461.0	57.0	-	1084.0
82	244870.0	16264.0	-	261134.0	-	142210.0	2578.0	26.0	-
83	92130.0	2864.0	-	94994.0	-	30279.0	2037.0	479.0	158.0
84	9449.0	143.0	-	9592.0	-	2314.0	182.0	-	-
85	107.0	2.0	-	109.0	-	23.0	1.0	24.0	1674.0
86	-	-	-	-	-	-	1.0	59.0	-
87	-	-	-	-	-	-	4856.0	1103476.0	9.0
88	-	-	-	-	-	-	6.0	675948.0	-
89	-	-	-	-	-	-	424.0	191601.0	9969.0
90 & above	-	-	-	-	-	-	430.0	853768.0	-
Average uniformity	29	30	31	32	34	36	38	39	40 & +
Trash 2/	-	-	-	-	-	399.0	280.0	2.0	43003.0
00	-	-	-	-	-	127893.0	-	120.0	53406.0
01	1040.0	190.0	-	1230.0	-	282173.0	502.0	-	63192.0
02	29715.0	4447.0	-	34162.0	-	210497.0	-	119.0	77602.0
03	114903.0	17390.0	-	132293.0	-	-	-	-	-
04	184169.0	24787.0	-	208956.0	-	102781.0	3.0	155.0	90739.0
05	170861.0	17000.0	-	187861.0	-	65752.0	-	273.0	98122.0
06	120958.0	7900.0	-	128858.0	-	39505.0	7934.0	513.0	105155.0
07	76562.0	3192.0	-	79754.0	-	22994.0	-	667.0	102496.0
08	44828.0	1152.0	-	45980.0	-	13308.0	770.0	809.0	95069.0
09	24744.0	401.0	-	25145.0	-	8368.0	-	1269.0	84761.0
10	14042.0	190.0	-	14232.0	-	4711.0	1606.0	1958.0	67684.0
11	6626.0	59.0	-	6685.0	-	2907.0	-	2442.0	49425.0
12	4358.0	37.0	-	4395.0	-	1737.0	9.0	3488.0	32116.0
13	2855.0	16.0	-	2871.0	-	1117.0	-	5310.0	16118.0
14	1317.0	12.0	-	1329.0	-	729.0	20697.0	8255.0	7124.0
15	917.0	4.0	-	921.0	-	502.0	-	12771.0	3051.0
16	587.0	3.0	-	590.0	-	163.0	1717.0	17745.0	1179.0
17	404.0	2.0	-	406.0	-	101.0	-	24596.0	215.0
18 & above	1077.0	1.0	-	1078.0	-	445.0	5646.0	32598.0	48.0
Average trash	*	*	0.2	0.5	2.0	1.6	0.5	0.3	0.1

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 34. — Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2003 Crop

Mike Groupings, Uniformity and Trash	MEMPHIS					PHOENIX				Classing Office Total
	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	
24 & below	*	*	*	*	*	*	-	*	-	*
25 - 26	-	-	0.1	0.1	-	-	-	-	-	-
27 - 29	0.1	0.2	0.5	0.6	0.3	0.1	-	0.1	0.2	0.1
30 - 32	0.5	0.7	1.3	1.1	0.8	0.5	0.3	0.7	0.5	0.5
33 - 34	0.8	1.2	1.7	1.3	1.1	0.7	0.5	2.2	0.5	0.8
35 - 36	1.9	2.3	3.9	2.1	2.2	1.3	0.9	4.3	0.6	1.5
37 - 42	21.3	26.2	30.1	16.3	21.5	12.2	8.4	37.4	5.3	13.2
43 - 49	59.3	57.8	54.9	52.5	56.6	55.8	58.7	50.6	68.2	56.2
50 - 52	13.5	9.6	6.5	20.5	14.2	22.5	25.8	4.0	22.3	21.7
53 & above	2.5	1.9	0.9	5.7	3.2	6.8	5.3	0.5	2.6	6.1
Average mike	45	44	44	46	45	47	47	43	47	47
Mike 35 - 49	82.4	86.4	88.9	70.9	80.3	69.3	68.0	92.4	74.0	70.8
Uniformity 1/ 72 & below	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	*	*	-	-	*
76	*	-	-	*	*	0.2	*	*	*	0.1
77	*	*	*	*	*	1.0	0.2	0.1	0.1	0.8
78	0.1	*	0.4	0.2	0.1	4.0	2.6	1.1	1.3	3.5
79	0.8	0.4	2.5	1.3	1.0	12.4	11.3	6.4	7.8	11.7
80	5.7	3.1	9.8	7.0	5.7	29.7	33.3	25.0	32.2	30.0
81	24.2	20.7	27.2	25.6	24.0	34.4	39.1	35.0	38.5	35.2
82	52.3	49.8	38.1	43.4	48.1	15.1	13.0	23.8	17.6	15.5
83	15.9	22.8	19.4	20.2	19.1	2.9	0.4	7.5	2.4	2.9
84	0.9	3.1	2.5	2.3	2.0	0.3	*	1.0	0.1	0.3
85	*	0.1	*	*	*	*	-	0.1	-	*
86	-	-	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-
Average uniformity	81.8	82.0	81.7	81.8	81.8	80.5	80.5	81.0	80.7	80.5
Trash 2/	-	-	-	*	*	*	*	*	*	*
00	*	-	-	*	*	*	*	*	*	*
01	0.4	0.7	0.1	1.5	0.8	20.0	40.3	40.9	60.3	25.2
02	9.1	10.7	3.8	16.6	11.4	42.1	41.6	35.6	34.4	41.4
03	26.4	26.4	17.8	29.5	26.8	21.5	9.5	14.8	4.2	19.0
04	27.3	27.0	25.7	23.5	26.0	6.9	3.6	5.1	0.9	6.2
05	17.8	17.4	20.2	13.6	16.6	2.8	2.2	2.0	0.2	2.6
06	10.7	10.0	13.9	7.9	9.9	2.0	1.5	1.0	*	1.8
07	4.6	4.3	7.4	3.7	4.4	1.2	0.6	0.3	*	1.0
08	2.1	1.9	4.6	1.9	2.1	1.0	0.3	0.1	-	0.8
09	1.0	0.8	2.8	1.0	1.1	0.8	0.2	0.1	*	0.6
10	0.4	0.4	1.8	0.5	0.5	0.5	0.1	*	-	0.4
11	0.2	0.1	1.0	0.2	0.2	0.4	*	*	-	0.3
12	*	*	0.3	0.1	0.1	0.2	*	*	-	0.2
13	*	*	0.2	0.1	0.1	0.2	*	*	-	0.1
14	*	*	0.1	*	*	0.1	*	*	-	0.1
15	*	*	0.1	*	*	0.1	*	-	-	0.1
16	*	*	0.1	*	*	0.1	-	-	*	*
17	*	*	*	*	*	*	-	-	-	*
18 & above	*	*	0.1	*	*	0.1	-	-	-	0.1
Average trash	0.43	0.42	0.50	0.39	0.42	0.27	0.20	0.20	0.15	0.25

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 35. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2003 Crop

Mike Groupings, Uniformity and Trash	RAYVILLE				VISALIA	
	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
24 & below	-	-	-	-	*	*
25 - 26	-	-	-	-	-	*
27 - 29	-	-	-	-	0.2	0.3
30 - 32	0.1	-	-	-	1.4	0.9
33 - 34	-	-	-	-	3.5	1.4
35 - 36	0.2	0.3	0.2	0.3	7.5	2.7
37 - 42	2.9	4.8	5.6	4.9	54.0	25.8
43 - 49	67.0	70.9	67.5	70.7	32.5	55.1
50 - 52	27.5	20.9	22.8	21.0	0.8	11.2
53 & above	2.2	3.0	3.8	3.0	-	5.8
Average mike	48	48	48	41	41	44.5
Mike 35 - 49	70.1	76.1	73.3	75.9	94.0	83.6
Uniformity 1/						
72 & below	-	-	-	-	-	-
73	-	-	-	-	-	*
74	-	-	-	-	-	*
75	-	-	-	-	*	*
76	-	-	-	-	*	*
77	-	*	*	*	*	0.1
78	0.2	1.0	1.0	1.0	0.2	1.1
79	0.9	9.3	7.2	9.1	1.0	5.9
80	9.6	26.1	22.2	25.8	4.8	18.0
81	48.0	31.2	34.9	31.6	22.5	30.0
82	37.1	23.2	26.3	23.5	44.4	31.0
83	4.2	8.1	7.8	8.0	21.5	12.1
84	0.1	0.9	0.7	0.9	4.1	1.6
85	-	*	*	*	1.1	0.1
86	-	*	-	*	0.4	*
87	-	-	-	-	*	*
88	-	-	-	-	*	*
89	-	-	-	-	-	-
90 & above	-	-	-	-	-	-
Average uniformity	81.3	80.9	81.0	81.0	82.0	81.3
Trash 2/						
00	-	-	-	-	*	*
01	0.1	0.6	0.1	0.5	24.4	7.6
02	2.8	8.9	4.3	8.5	42.6	17.9
03	15.7	24.2	17.7	23.7	20.4	21.6
04	24.9	24.0	24.7	24.1	6.9	19.7
05	21.4	17.1	21.4	17.4	2.7	13.8
06	16.7	12.4	16.8	12.7	1.6	9.2
07	8.6	5.8	7.5	5.9	0.6	4.6
08	5.2	3.5	4.2	3.5	0.3	2.6
09	2.6	1.9	2.0	1.9	0.2	1.4
10	1.1	0.9	0.9	0.9	0.1	0.7
11	0.5	0.4	0.3	0.4	0.1	0.3
12	0.2	0.2	0.2	0.2	*	0.2
13	0.1	0.2	0.1	0.2	*	0.1
14	0.1	0.1	*	0.1	*	0.1
15	-	*	-	*	*	*
16	-	*	*	*	*	*
17	-	*	-	*	*	*
18 & above	-	-	-	-	*	*
Average trash	0.51	0.45	0.49	0.45	0.23	0.40

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 36. -- Percentage distribution of color, staple and uniformity for American Pima cotton classed, by states and United States, 2003 crop.

Quality Designation	Leaf	State						United States	
		Arizona		California		New Mexico			
01	1	685	15.6	88,360	25.3	2,571	10.0	17,458	402.0
	2	781	17.8	25,178	7.2	1,773	13.0	3,783	8.7
	3	26	0.6	296	0.1	10	1.2	6	•
	4	-	-	117	*	-	-	-	117
	5	-	-	30	*	1	*	-	31
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		1,492	33.9	113,981	32.7	4,354	34.6	21,247	48.9
02	1	261	5.9	160,259	45.9	1,166	9.3	10,798	24.9
	2	2,035	46.3	46,277	13.3	5,038	40.1	10,233	23.6
	3	372	8.5	8,786	2.5	1,039	8.3	466	1.1
	4	14	0.3	2,245	0.6	59	0.5	8	*
	5	-	-	462	0.1	-	-	1	*
	6	-	-	18	*	-	-	-	18
	7	-	-	-	-	-	-	-	-
Total -----		2,682	61.0	218,047	62.5	7,302	58.1	21,506	49.5
03	1	2	*	2,187	0.6	2	*	19	*
	2	71	1.6	6,260	1.8	163	1.3	416	1.0
	3	46	1.0	2,748	0.8	494	3.9	220	0.5
	4	11	0.3	1,518	0.4	88	0.7	2	*
	5	3	0.1	588	0.2	2	*	-	593
	6	-	-	318	0.1	1	*	-	319
	7	-	-	3	*	-	-	-	3
Total -----		133	3.0	13,622	3.9	750	6.0	657	1.5
04	1	1	*	40	*	-	-	2	*
	2	10	0.2	518	0.1	22	0.2	8	*
	3	8	0.2	772	0.2	33	0.3	15	*
	4	15	0.3	528	0.2	37	0.3	1	*
	5	7	0.2	446	0.1	35	0.3	-	488
	6	1	*	313	0.1	-	-	-	314
	7	-	-	31	*	-	-	-	31
Total -----		42	1.0	2,648	0.8	127	1.0	26	0.1
05	1	-	-	2	*	-	-	-	2
	2	-	-	62	*	-	-	1	*
	3	5	0.1	120	*	3	*	-	128
	4	3	0.1	118	*	1	*	-	122
	5	7	0.2	140	*	21	0.2	-	168
	6	32	0.7	82	*	13	0.1	-	127
	7	-	-	43	*	-	-	-	43
Total -----		47	1.1	567	0.2	38	0.3	1	*
06	1	-	-	-	-	-	-	-	-
	2	-	-	4	*	-	-	-	4
	3	-	-	2	*	-	-	-	2
	4	-	-	8	*	2	*	-	10
	5	-	-	19	*	2	*	-	21
	6	-	-	19	*	-	-	-	19
	7	-	-	9	*	-	-	-	9
Total -----		-	-	61	*	4	*	-	65
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
40 & shorter		-	-	-	-	-	-	4	*
42		2	*	32	*	6	*	10	*
44		648	14.7	8,898	2.6	598	4.8	6,173	14.2
46		2,122	48.3	153,919	44.1	5,653	44.9	28,498	65.6
48 & longer		1,824	36.9	186,078	53.3	6,320	50.3	8,764	20.2
Average		46.5		47.0		46.9		46.1	46.9
UNIFORMITY									
72 & below		-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-
77		3	0.1	-	-	-	-	-	3
78		1	*	-	-	-	-	-	1
79		4	0.1	-	-	-	-	-	5
80		1	*	15	*	10	0.1	1	*
81		5	0.1	208	0.1	18	0.1	20	*
82		107	2.4	2,310	0.7	148	1.2	314	0.7
83		559	12.7	14,947	4.3	743	5.9	2,225	5.1
84		1,125	25.6	65,438	18.8	2,198	17.5	8,498	19.6
85		1,284	29.2	140,082	40.1	4,167	33.1	16,308	37.5
86		959	21.8	100,743	28.9	3,724	29.6	11,658	26.8
87		314	7.1	24,512	7.0	1,342	10.7	3,667	8.4
88		33	0.8	672	0.2	222	1.8	698	1.6
89		1	*	-	-	7	0.1	59	0.1
90 & above		-	-	-	-	-	-	-	67
Average		84.8		85.1		85.2		85.2	85.1
BALES CLASSED		4,396		348,927		12,577		43,449	409,349

Table 37. — Percentage distribution of grade, staple and mike for American Pima cotton classed, by states and United States, 2003 crop.

Grade, Staple and Mike	State				United States
	Arizona	California	New Mexico	Texas	
Mike groups					
24 & below	-	-	-	-	-
25 - 26	-	-	12	*	12 *
27 - 29	4	0.1	590	0.2	602 0.1
30 - 32	60	1.4	6,207	1.8	6,376 1.6
33 - 34	39	0.9	10,554	3.0	10,984 2.7
35 - 36	83	1.9	17,998	5.2	19,307 4.7
37 - 42	3,300	75.1	232,062	66.5	253,606 62.0
43 - 49	910	20.7	81,502	23.4	118,297 28.9
50 - 52	-	-	2	*	165 *
53 & above	-	-	-	-	-
Average mike	41	40	42	44	41
Mike readings					
24 & below	-	-	-	-	-
25	-	-	4	*	4 *
26	-	-	8	*	8 *
27	-	-	28	*	28 *
28	1	*	150	*	158 *
29	3	0.1	412	0.1	416 0.1
30	13	0.3	1,024	0.3	1,055 0.3
31	21	0.5	2,051	0.6	2,121 0.5
32	26	0.6	3,132	0.9	3,200 0.8
33	19	0.4	4,491	1.3	4,653 1.1
34	20	0.5	6,063	1.7	6,331 1.5
35	25	0.6	7,959	2.3	8,486 2.1
36	58	1.3	10,039	2.9	10,821 2.6
37	158	3.6	15,696	4.5	16,943 4.1
38	351	8.0	23,584	6.8	25,396 6.2
39	545	12.4	35,827	10.3	38,480 9.4
40	716	16.3	48,105	13.8	52,042 12.7
41	774	17.6	55,691	16.0	61,095 14.9
42	756	17.2	53,159	15.2	59,650 14.6
43	595	13.5	40,511	11.6	47,674 11.6
44	243	5.5	24,988	7.2	32,960 8.1
45	62	1.4	11,036	3.2	18,291 4.5
46	9	0.2	3,903	1.1	10,670 2.6
47	-	-	901	0.3	5,559 1.4
48	1	*	146	*	2,272 0.6
49	-	-	17	*	871 0.2
50	-	-	1	*	158 *
51	-	-	1	*	7 *
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average mike	41	40	42	44	41
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	0	*	*
25	-	-	1	*	1 *
26	-	-	13	*	13 *
27	-	-	26	*	26 *
28	-	-	54	*	54 *
29	-	-	96	*	96 *
30	-	-	203	0.1	203 *
31	-	-	468	0.1	468 0.1
32	2	*	991	0.3	993 0.2
33	24	0.5	2,160	0.6	2,213 0.5
34	89	2.0	3,384	1.0	3,571 0.9
35	166	3.8	4,949	1.4	5,518 1.3
36	305	6.9	6,563	1.9	8,253 2.0
37	497	11.3	10,869	3.1	14,972 3.7
38	670	15.2	21,019	6.0	29,845 7.3
39	700	15.9	37,232	10.7	50,056 12.2
40	676	15.4	58,699	16.8	71,734 17.5
41	558	12.7	68,473	19.6	78,473 19.2
42	349	7.9	58,778	16.8	63,921 15.6
43	194	4.4	39,111	11.2	41,501 10.1
44	114	2.6	20,885	6.0	21,957 5.4
45 & above	52	1.2	14,953	4.3	15,481 3.8
Average Strength	39.2	40.7	39.6	39.8	40.6
Extraneous matter					
Bark	101	2.3	119	*	338 0.1
Grass	2	*	447	0.1	604 0.1
Spindle twist	11	0.3	1,344	0.4	1,361 0.3
Preparation	4	0.1	5,707	1.6	5,715 1.4

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.



1022676908

USDA
NAT'L AGRIC LIBRARY

1705 SEP 28 A 5 4b

CURRENT SERIAL RECORDS
AGRICULTURAL
SERIALS BRANCH